# Elberta Open Campus High School

## Results of the Georgia Student Health Survey II

2007

| Grade | |
|---|---|
| **Grade** | **Frequency** |
| **10** | 14 |
| **12** | 14 |

**Frequency**
**Col Pct**

| Table of Gender by Grade | | | |
|---|---|---|---|
| | **Grade(Grade)** | | |
| **Gender(Gender)** | **10** | **12** | **Total** |
| **Female** | 5<br>35.71 | 1<br>7.14 | 6 |
| **Male** | 9<br>64.29 | 13<br>92.86 | 22 |
| **Total** | 14 | 14 | 28 |

**Frequency**
**Col Pct**

| Table of Ethnicity by Grade | | | |
|---|---|---|---|
| | **Grade(Grade)** | | |
| **Ethnicity(Ethnicity)** | **10** | **12** | **Total** |
| **Black** | 9<br>64.29 | 5<br>35.71 | 14 |
| **White** | 4<br>28.57 | 9<br>64.29 | 13 |
| **Asian** | 1<br>7.14 | 0<br>0.00 | 1 |
| **Total** | 14 | 14 | 28 |

# *Title IV, Part A, Schedule A*
# *Goal 1: Ensure that all schools are drug-free*
# *Baseline Data: Year 2007*
# *Prevalence of Drug Use*

**Frequency**
**Col Pct**

| Table of AlcoholAlt by Grade | | | |
|---|---|---|---|
| AlcoholAlt(Alcohol use, past 30 days) | Grade(Grade) | | Total |
| | 10 | 12 | |
| Yes | 6<br>42.86 | 10<br>71.43 | 16 |
| No | 8<br>57.14 | 4<br>28.57 | 12 |
| Total | 14 | 14 | 28 |

**Frequency**
**Col Pct**

| Table of TobaccoAny by Grade | | | |
|---|---|---|---|
| TobaccoAny(Tobacco use, past 30 days) | Grade(Grade) | | Total |
| | 10 | 12 | |
| Yes | 6<br>42.86 | 8<br>57.14 | 14 |
| No | 8<br>57.14 | 6<br>42.86 | 14 |
| Total | 14 | 14 | 28 |

**Frequency**
**Col Pct**

| Table of MarijuanaAlt by Grade | | | |
|---|---|---|---|
| MarijuanaAlt(Marijuana use, past 30 days) | Grade(Grade) | | Total |
| | 10 | 12 | |
| Yes | 4<br>28.57 | 10<br>71.43 | 14 |
| No | 10<br>71.43 | 4<br>28.57 | 14 |
| Total | 14 | 14 | 28 |

**Frequency**
**Col Pct**

| Table of OtherDrugAny by Grade | | | |
|---|---|---|---|
| OtherDrugAny(Other drug use, past 30 days) | Grade(Grade) | | Total |
| | 10 | 12 | |
| Yes | 1<br>7.14 | 6<br>42.86 | 7 |
| No | 13<br>92.86 | 8<br>57.14 | 21 |
| Total | 14 | 14 | 28 |

## *Average Age of Onset of Use*

***Results for "Average Age of Onset of Use" questions exclude students who said they did not use that substance***

| Variable | Label | Mean |
|---|---|---|
| Alcoholinit2 | I started using alcohol when I was | 13.42 |
| Cigarettesinit2 | I started smoking tobacco when I was | 13.43 |
| Smokelessinit2 | I started chewing tobacco when I was | 12.50 |
| Marijuanainit2 | I started using marijuana when I was | 13.95 |
| Cocaineinit2 | I started using cocaine when I was | 13.25 |
| Inhalantsinit2 | I started using inhalants when I was | 8.00 |
| Steroidsinit2 | I started using steroids when I was | 9.00 |
| Ecstasyinit2 | I started using ecstasy when I was | 13.80 |
| Methinit2 | I started using methamphetamines when I was | 13.33 |
| Hallucinogensinit2 | I started using hallucinogens when I was | 8.00 |
| Prescriptioninit2 | I started using prescription drugs not prescribed to me when I was | 14.50 |

| Frequency<br>Col Pct | Table of Alcoholharmdich by Grade | | | |
|---|---|---|---|---|
| Alcoholharmdich(I think alcohol is harmful) | Grade(Grade) | | Total |
| | 10 | 12 | |
| Yes | 10<br>71.43 | 9<br>64.29 | 19 |
| No | 4<br>28.57 | 5<br>35.71 | 9 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Tobaccoharmdich by Grade | | |
|---|---|---|---|
| Tobaccoharmdich(I think tobacco is harmful) | Grade(Grade) | | Total |
| | 10 | 12 | |
| Yes | 12<br>85.71 | 14<br>100.00 | 26 |
| No | 2<br>14.29 | 0<br>0.00 | 2 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanaharmdich by Grade | | |
|---|---|---|---|
| Marijuanaharmdich(I think marijuana is harmful) | Grade(Grade) | | Total |
| | 10 | 12 | |
| Yes | 7<br>50.00 | 7<br>50.00 | 14 |
| No | 7<br>50.00 | 7<br>50.00 | 14 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Otherdrugharmdich by Grade | | |
|---|---|---|---|
| Otherdrugharmdich(I think other drugs are harmful) | Grade(Grade) | | Total |
| | 10 | 12 | |
| Yes | 12<br>85.71 | 14<br>100.00 | 26 |
| No | 2<br>14.29 | 0<br>0.00 | 2 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Alcoholpeerdich by Grade | | |
|---|---|---|---|
| **Alcoholpeerdich(My friends would disapprove if I used alcohol)** | **Grade(Grade)** | | |
| | **10** | **12** | **Total** |
| **Yes** | 5<br>35.71 | 0<br>0.00 | 5 |
| **No** | 9<br>64.29 | 14<br>100.00 | 23 |
| **Total** | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Tobaccopeerdich by Grade | | |
|---|---|---|---|
| **Tobaccopeerdich(My friends would disapprove if I used tobacco)** | **Grade(Grade)** | | |
| | **10** | **12** | **Total** |
| **Yes** | 4<br>28.57 | 2<br>14.29 | 6 |
| **No** | 10<br>71.43 | 12<br>85.71 | 22 |
| **Total** | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanapeerdich by Grade | | |
|---|---|---|---|
| **Marijuanapeerdich(My friends would disapprove if I used marijuana)** | **Grade(Grade)** | | |
| | **10** | **12** | **Total** |
| **Yes** | 4<br>28.57 | 1<br>7.14 | 5 |
| **No** | 10<br>71.43 | 13<br>92.86 | 23 |
| **Total** | 14 | 14 | 28 |

| Frequency<br>Col Pct |
|---|

| Table of Otherdrugpeerdich by Grade | | | |
|---|---|---|---|
| Otherdrugpeerdich(My friends would disapprove if I used other drugs) | Grade(Grade) | | Total |
| | 10 | 12 | |
| Yes | 10<br>71.43 | 8<br>57.14 | 18 |
| No | 4<br>28.57 | 6<br>42.86 | 10 |
| Total | 14 | 14 | 28 |

*Title IV, Part A, Schedule A*
*Goal 2: To help ensure that all schools are safe and disciplined*
*Baseline Data: Year 2007*
*Student Involvement in Gang Activity*

| Frequency<br>Col Pct | Table of Gangself by Grade | | |
|---|---|---|---|
| Gangself(I have participated in illegal gang activities in the past 30 days) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Yes | 5<br>35.71 | 0<br>0.00 | 5 |
| No | 9<br>64.29 | 14<br>100.00 | 23 |
| Total | 14 | 14 | 28 |

| Frequency<br>Row Pct |
|---|

| Table of Grade by Safeschool | | | | | |
|---|---|---|---|---|---|
| | Safeschool(School is a place at which I feel safe) | | | | |
| Grade(Grade) | Strongly Agree | Somewhat Agree | Somewhat Disagree | Strongly Disagree | Total |
| **10** | 4<br>28.57 | 7<br>50.00 | 2<br>14.29 | 1<br>7.14 | 14 |
| **12** | 1<br>7.14 | 8<br>57.14 | 3<br>21.43 | 2<br>14.29 | 14 |
| **Total** | 5 | 15 | 5 | 3 | 28 |

| Frequency<br>Row Pct |
|---|

| Table of Grade by Bullied | | | |
|---|---|---|---|
| | Bullied(I have been bullied by other students in the past 30 days) | | |
| Grade(Grade) | 0 Days | 1 or 2 days | Total |
| **10** | 13<br>92.86 | 1<br>7.14 | 14 |
| **12** | 13<br>92.86 | 1<br>7.14 | 14 |
| **Total** | 26 | 2 | 28 |

| Frequency<br>Col Pct | Table of SchoolClimate1 by Grade | | | |
|---|---|---|---|---|
| | SchoolClimate1(I like school) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | Strongly Agree | 4<br>28.57 | 2<br>14.29 | 6 |
| | Somewhat Agree | 6<br>42.86 | 9<br>64.29 | 15 |
| | Somewhat Disagree | 2<br>14.29 | 0<br>0.00 | 2 |
| | Strongly Disagree | 2<br>14.29 | 3<br>21.43 | 5 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of SchoolClimate2 by Grade | | | |
|---|---|---|---|---|
| | SchoolClimate2(I feel successful at school) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | Strongly Agree | 4<br>28.57 | 6<br>42.86 | 10 |
| | Somewhat Agree | 7<br>50.00 | 8<br>57.14 | 15 |
| | Somewhat Disagree | 3<br>21.43 | 0<br>0.00 | 3 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of SchoolClimate3 by Grade | | | |
|---|---|---|---|---|
| | SchoolClimate3(My school has high standards for achievement) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | Strongly Agree | 3<br>21.43 | 0<br>0.00 | 3 |
| | Somewhat Agree | 7<br>50.00 | 5<br>35.71 | 12 |
| | Somewhat Disagree | 1<br>7.14 | 7<br>50.00 | 8 |
| | Strongly Disagree | 3<br>21.43 | 2<br>14.29 | 5 |
| | Total | 14 | 14 | 28 |

| Frequency Col Pct | Table of SchoolClimate4 by Grade | | | |
|---|---|---|---|---|
| | SchoolClimate4(My school sets clear rules for behavior) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 6<br>42.86 | 10<br>71.43 | 16 |
| | Somewhat Agree | 8<br>57.14 | 3<br>21.43 | 11 |
| | Strongly Disagree | 0<br>0.00 | 1<br>7.14 | 1 |
| | Total | 14 | 14 | 28 |

| Frequency Col Pct | Table of SchoolClimate5 by Grade | | | |
|---|---|---|---|---|
| | SchoolClimate5(I know what to do in an emergency at school) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 10<br>71.43 | 6<br>42.86 | 16 |
| | Somewhat Agree | 2<br>14.29 | 5<br>35.71 | 7 |
| | Somewhat Disagree | 1<br>7.14 | 2<br>14.29 | 3 |
| | Strongly Disagree | 1<br>7.14 | 1<br>7.14 | 2 |
| | Total | 14 | 14 | 28 |

| Frequency Col Pct | Table of SchoolClimate6 by Grade | | | |
|---|---|---|---|---|
| | SchoolClimate6(Teachers treat me with respect) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 4<br>28.57 | 5<br>35.71 | 9 |
| | Somewhat Agree | 8<br>57.14 | 8<br>57.14 | 16 |
| | Somewhat Disagree | 2<br>14.29 | 1<br>7.14 | 3 |
| | Total | 14 | 14 | 28 |

| Frequency Col Pct | Table of SchoolClimate7 by Grade | | | |
|---|---|---|---|---|
| | SchoolClimate7(Behaviors in my class allow the teacher to teach) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 3<br>21.43 | 4<br>28.57 | 7 |
| | Somewhat Agree | 9<br>64.29 | 7<br>50.00 | 16 |
| | Somewhat Disagree | 1<br>7.14 | 2<br>14.29 | 3 |
| | Strongly Disagree | 1<br>7.14 | 1<br>7.14 | 2 |
| | Total | 14 | 14 | 28 |

| Frequency Col Pct | Table of SchoolClimate8 by Grade | | | |
|---|---|---|---|---|
| | SchoolClimate8(Students are frequently recognized for good behavior) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 4<br>28.57 | 6<br>42.86 | 10 |
| | Somewhat Agree | 6<br>42.86 | 4<br>28.57 | 10 |
| | Somewhat Disagree | 1<br>7.14 | 3<br>21.43 | 4 |
| | Strongly Disagree | 3<br>21.43 | 1<br>7.14 | 4 |
| | Total | 14 | 14 | 28 |

| Frequency Col Pct | Table of SchoolClimate9 by Grade | | | |
|---|---|---|---|---|
| | SchoolClimate9(School counselor would be helpful if I needed assistance) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 8<br>57.14 | 3<br>21.43 | 11 |
| | Somewhat Agree | 3<br>21.43 | 10<br>71.43 | 13 |
| | Somewhat Disagree | 2<br>14.29 | 1<br>7.14 | 3 |
| | Strongly Disagree | 1<br>7.14 | 0<br>0.00 | 1 |
| | Total | 14 | 14 | 28 |

| Frequency Col Pct | Table of Dropoutreason by Grade | | |
|---|---|---|---|
| **Dropoutreason(If I dropped out the reason would most likely be...)** | **Grade(Grade)** | | **Total** |
| | **10** | **12** | |
| **Won't Drop out** | 6<br>42.86 | 5<br>35.71 | 11 |
| **Bored** | 4<br>28.57 | 3<br>21.43 | 7 |
| **Family Reasons** | 1<br>7.14 | 0<br>0.00 | 1 |
| **Other** | 3<br>21.43 | 6<br>42.86 | 9 |
| **Total** | 14 | 14 | 28 |

| Frequency Col Pct | Table of Dropout by Grade | | |
|---|---|---|---|
| **Dropout(I have thought about dropping out of school)** | **Grade(Grade)** | | **Total** |
| | **10** | **12** | |
| **Yes** | 6<br>42.86 | 8<br>57.14 | 14 |
| **No** | 8<br>57.14 | 6<br>42.86 | 14 |
| **Total** | 14 | 14 | 28 |

| Frequency Col Pct | Table of Gangself by Grade | | |
|---|---|---|---|
| **Gangself(I have participated in illegal gang activities in the past 30 days)** | **Grade(Grade)** | | |
| | **10** | **12** | **Total** |
| **Yes** | 5<br>35.71 | 0<br>0.00 | 5 |
| **No** | 9<br>64.29 | 14<br>100.00 | 23 |
| **Total** | 14 | 14 | 28 |

| Frequency Col Pct | Table of Gangpeers by Grade | | |
|---|---|---|---|
| **Gangpeers(I have friends who have participated in illegal gang activities in the past 30 days)** | **Grade(Grade)** | | |
| | **10** | **12** | **Total** |
| **Yes** | 8<br>57.14 | 7<br>50.00 | 15 |
| **No** | 6<br>42.86 | 7<br>50.00 | 13 |
| **Total** | 14 | 14 | 28 |

| Frequency Col Pct | Table of Pickedon by Grade | | |
|---|---|---|---|
| **Pickedon(I have been picked on or teased at school in the past 30 days)** | **Grade(Grade)** | | |
| | **10** | **12** | **Total** |
| **Strongly Agree** | 1<br>7.14 | 3<br>21.43 | 4 |
| **Somewhat Agree** | 2<br>14.29 | 2<br>14.29 | 4 |
| **Somewhat Disagree** | 0<br>0.00 | 1<br>7.14 | 1 |

| Frequency<br>Col Pct | Table of Pickedon by Grade | | | |
|---|---|---|---|---|
| | Pickedon(I have been picked on or teased at school in the past 30 days) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Disagree | 11<br>78.57 | 8<br>57.14 | 19 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Safeschool by Grade | | | |
|---|---|---|---|---|
| | Safeschool(School is a place at which I feel safe) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 4<br>28.57 | 1<br>7.14 | 5 |
| | Somewhat Agree | 7<br>50.00 | 8<br>57.14 | 15 |
| | Somewhat Disagree | 2<br>14.29 | 3<br>21.43 | 5 |
| | Strongly Disagree | 1<br>7.14 | 2<br>14.29 | 3 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Row Pct | Table of Grade by Bullied | | | |
|---|---|---|---|---|
| | | Bullied(I have been bullied by other students in the past 30 days) | | |
| | Grade(Grade) | 0 Days | 1 or 2 days | Total |
| | **10** | 13<br>92.86 | 1<br>7.14 | 14 |
| | **12** | 13<br>92.86 | 1<br>7.14 | 14 |
| | **Total** | 26 | 2 | 28 |

| Frequency<br>Row Pct | Table of Grade by Bulliedothers | | | | |
|---|---|---|---|---|---|
| | | Bulliedothers(I bullied others in the past 30 days) | | | |
| | Grade(Grade) | 0 Days | 1 or 2 days | 20 to 29 days | Total |
| | **10** | 12<br>85.71 | 1<br>7.14 | 1<br>7.14 | 14 |
| | **12** | 14<br>100.00 | 0<br>0.00 | 0<br>0.00 | 14 |
| | **Total** | 26 | 1 | 1 | 28 |

| Frequency<br>Row Pct | Table of Grade by Weaponschool | | | |
|---|---|---|---|---|
| | | Weaponschool(I brought a weapon to school in the past 30 days) | | |
| | Grade(Grade) | 0 Days | 1 or 2 days | Total |
| | **10** | 13<br>92.86 | 1<br>7.14 | 14 |
| | **12** | 14<br>100.00 | 0<br>0.00 | 14 |
| | **Total** | 27 | 1 | 28 |

| Frequency<br>Row Pct | Table of Grade by Absentunsafe | | |
|---|---|---|---|
| | Absentunsafe(I have missed school because I felt unsafe in the past 30 days) | | |
| Grade(Grade) | 0 Days | Total |
| 10 | 14<br>100.00 | 14 |
| 12 | 14<br>100.00 | 14 |
| Total | 28 | 28 |

**Frequency**
**Row Pct**

| Table of Grade by Alcohol | | | | | | | |
|---|---|---|---|---|---|---|---|
| | Alcohol(Alcohol use, past 30 days) | | | | | | |
| Grade(Grade) | Did not use | 1-2 days | 3-5 days | 6-9 days | 10-19 days | Every day | Total |
| **10** | 8<br>57.14 | 2<br>14.29 | 1<br>7.14 | 1<br>7.14 | 2<br>14.29 | 0<br>0.00 | 14 |
| **12** | 4<br>28.57 | 3<br>21.43 | 2<br>14.29 | 1<br>7.14 | 3<br>21.43 | 1<br>7.14 | 14 |
| **Total** | 12 | 5 | 3 | 2 | 5 | 1 | 28 |

**Frequency**
**Row Pct**

| Table of Grade by Cigarettes | | | | | | |
|---|---|---|---|---|---|---|
| | Cigarettes(Smoking tobacco use, past 30 days) | | | | | |
| Grade(Grade) | Did not use | 1-2 days | 6-9 days | 20-29 days | Every day | Total |
| **10** | 8<br>57.14 | 4<br>28.57 | 1<br>7.14 | 0<br>0.00 | 1<br>7.14 | 14 |
| **12** | 6<br>42.86 | 2<br>14.29 | 0<br>0.00 | 4<br>28.57 | 2<br>14.29 | 14 |
| **Total** | 14 | 6 | 1 | 4 | 3 | 28 |

**Frequency**
**Row Pct**

| Table of Grade by Smokeless | | | | | |
|---|---|---|---|---|---|
| | Smokeless(Chewing tobacco use, past 30 days) | | | | |
| Grade(Grade) | Did not use | 1-2 days | 3-5 days | Every day | Total |
| **10** | 12<br>85.71 | 0<br>0.00 | 1<br>7.14 | 1<br>7.14 | 14 |
| **12** | 13<br>92.86 | 1<br>7.14 | 0<br>0.00 | 0<br>0.00 | 14 |
| **Total** | 25 | 1 | 1 | 1 | 28 |

| Frequency<br>Row Pct | Table of Grade by Marijuana | | | | | | |
|---|---|---|---|---|---|---|---|
| | Marijuana(Marijuana use, past 30 days) | | | | | | |
| Grade(Grade) | Did not use | 1-2 days | 3-5 days | 10-19 days | 20-29 days | Every day | Total |
| 10 | 10<br>71.43 | 3<br>21.43 | 0<br>0.00 | 0<br>0.00 | 1<br>7.14 | 0<br>0.00 | 14 |
| 12 | 4<br>28.57 | 3<br>21.43 | 2<br>14.29 | 1<br>7.14 | 2<br>14.29 | 2<br>14.29 | 14 |
| Total | 14 | 6 | 2 | 1 | 3 | 2 | 28 |

| Frequency<br>Row Pct | Table of Grade by Cocaine | | |
|---|---|---|---|
| | Cocaine(Cocaine use, past 30 days) | | |
| Grade(Grade) | Did not use | 3-5 days | Total |
| 10 | 14<br>100.00 | 0<br>0.00 | 14 |
| 12 | 12<br>85.71 | 2<br>14.29 | 14 |
| Total | 26 | 2 | 28 |

| Frequency<br>Row Pct | Table of Grade by Inhalants | |
|---|---|---|
| | Inhalants(Inhalant use, past 30 days) | |
| Grade(Grade) | Did not use | Total |
| 10 | 14<br>100.00 | 14 |
| 12 | 14<br>100.00 | 14 |
| Total | 28 | 28 |

| Frequency<br>Row Pct | Table of Grade by Steroids | |
|---|---|---|
| | Steroids(Steroid use, past 30 days) | |
| Grade(Grade) | Did not use | Total |
| 10 | 14<br>100.00 | 14 |
| 12 | 14<br>100.00 | 14 |
| Total | 28 | 28 |

**Frequency**
**Row Pct**

| Table of Grade by Ecstasy | | | | | |
|---|---|---|---|---|---|
| | Ecstasy(Ecstasy use, past 30 days) | | | | |
| Grade(Grade) | Did not use | 1-2 days | 6-9 days | Every day | Total |
| 10 | 14<br>100.00 | 0<br>0.00 | 0<br>0.00 | 0<br>0.00 | 14 |
| 12 | 9<br>64.29 | 2<br>14.29 | 1<br>7.14 | 2<br>14.29 | 14 |
| Total | 23 | 2 | 1 | 2 | 28 |

**Frequency**
**Row Pct**

| Table of Grade by Meth | | |
|---|---|---|
| | Meth(Methamphetamine use, past 30 days) | |
| Grade(Grade) | Did not use | Total |
| 10 | 14<br>100.00 | 14 |
| 12 | 14<br>100.00 | 14 |
| Total | 28 | 28 |

**Frequency**
**Row Pct**

| Table of Grade by Hallucinogens | | |
|---|---|---|
| | Hallucinogens(Hallucinogen use, past 30 days) | |
| Grade(Grade) | Did not use | Total |
| 10 | 14<br>100.00 | 14 |
| 12 | 14<br>100.00 | 14 |
| Total | 28 | 28 |

**Frequency**
**Row Pct**

| Table of Grade by Prescription | | | | |
|---|---|---|---|---|
| | Prescription(Prescription drugs not prescribed to me, past 30 days) | | | |
| Grade(Grade) | Did not use | 1-2 days | 10-19 days | Total |
| 10 | 13<br>92.86 | 0<br>0.00 | 1<br>7.14 | 14 |
| 12 | 9<br>64.29 | 3<br>21.43 | 2<br>14.29 | 14 |
| Total | 22 | 3 | 3 | 28 |

| Frequency<br>Col Pct | Table of Alcoholease by Grade | | |
|---|---|---|---|
| Alcoholease(It is easy to get alcohol) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Strongly Agree | 5<br>35.71 | 8<br>57.14 | 13 |
| Somewhat Agree | 1<br>7.14 | 4<br>28.57 | 5 |
| Somewhat Disagree | 4<br>28.57 | 2<br>14.29 | 6 |
| Strongly Disagree | 4<br>28.57 | 0<br>0.00 | 4 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Cigarettesease by Grade | | |
|---|---|---|---|
| Cigarettesease(It is easy to get smoking tobacco) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Strongly Agree | 6<br>42.86 | 10<br>71.43 | 16 |
| Somewhat Agree | 1<br>7.14 | 3<br>21.43 | 4 |
| Somewhat Disagree | 1<br>7.14 | 1<br>7.14 | 2 |
| Strongly Disagree | 6<br>42.86 | 0<br>0.00 | 6 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Smokelessease by Grade | | |
|---|---|---|---|
| Smokelessease(It is easy to get chewing tobacco) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Strongly Agree | 3<br>21.43 | 9<br>64.29 | 12 |
| Somewhat Agree | 0<br>0.00 | 1<br>7.14 | 1 |
| Somewhat Disagree | 3<br>21.43 | 0<br>0.00 | 3 |
| Strongly Disagree | 8<br>57.14 | 4<br>28.57 | 12 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanaease by Grade | | |
|---|---|---|---|
| Marijuanaease(It is easy to get marijuana) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Strongly Agree | 6<br>42.86 | 9<br>64.29 | 15 |
| Somewhat Agree | 3<br>21.43 | 5<br>35.71 | 8 |
| Somewhat Disagree | 1<br>7.14 | 0<br>0.00 | 1 |
| Strongly Disagree | 4<br>28.57 | 0<br>0.00 | 4 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Cocaineease by Grade | | |
|---|---|---|---|
| Cocaineease(It is easy to get cocaine) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Strongly Agree | 1<br>7.14 | 7<br>50.00 | 8 |
| Somewhat Agree | 0<br>0.00 | 1<br>7.14 | 1 |
| Somewhat Disagree | 3<br>21.43 | 1<br>7.14 | 4 |
| Strongly Disagree | 10<br>71.43 | 5<br>35.71 | 15 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Inhalantsease by Grade | | |
|---|---|---|---|
| Inhalantsease(It is easy to get inhalants) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Strongly Agree | 4<br>28.57 | 7<br>50.00 | 11 |
| Somewhat Agree | 1<br>7.14 | 2<br>14.29 | 3 |
| Somewhat Disagree | 1<br>7.14 | 0<br>0.00 | 1 |
| Strongly Disagree | 8<br>57.14 | 5<br>35.71 | 13 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Steroidsease by Grade | | |
|---|---|---|---|
| Steroidsease(It is easy to get steroids) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Strongly Agree | 0<br>0.00 | 3<br>21.43 | 3 |
| Somewhat Agree | 0<br>0.00 | 1<br>7.14 | 1 |
| Somewhat Disagree | 4<br>28.57 | 4<br>28.57 | 8 |
| Strongly Disagree | 10<br>71.43 | 6<br>42.86 | 16 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Ecstasyease by Grade | | |
|---|---|---|---|
| Ecstasyease(It is easy to get ecstasy) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Strongly Agree | 0<br>0.00 | 5<br>35.71 | 5 |
| Somewhat Agree | 2<br>14.29 | 4<br>28.57 | 6 |
| Somewhat Disagree | 0<br>0.00 | 1<br>7.14 | 1 |
| Strongly Disagree | 12<br>85.71 | 4<br>28.57 | 16 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Methease by Grade | | |
|---|---|---|---|
| Methease(It is easy to get methamphetamines) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Strongly Agree | 0<br>0.00 | 5<br>35.71 | 5 |
| Somewhat Agree | 1<br>7.14 | 3<br>21.43 | 4 |
| Somewhat Disagree | 1<br>7.14 | 1<br>7.14 | 2 |
| Strongly Disagree | 12<br>85.71 | 5<br>35.71 | 17 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Hallucinogensease by Grade | | |
|---|---|---|---|
| Hallucinogensease(It is easy to get hallucinogens) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Strongly Agree | 0<br>0.00 | 3<br>21.43 | 3 |
| Somewhat Agree | 1<br>7.14 | 4<br>28.57 | 5 |
| Somewhat Disagree | 1<br>7.14 | 2<br>14.29 | 3 |
| Strongly Disagree | 12<br>85.71 | 5<br>35.71 | 17 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Prescriptionease by Grade | | |
|---|---|---|---|
| Prescriptionease(It is easy to get prescription drugs not prescribed to me) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Strongly Agree | 3<br>21.43 | 8<br>57.14 | 11 |
| Somewhat Agree | 2<br>14.29 | 0<br>0.00 | 2 |
| Somewhat Disagree | 0<br>0.00 | 2<br>14.29 | 2 |
| Strongly Disagree | 9<br>64.29 | 4<br>28.57 | 13 |
| Total | 14 | 14 | 28 |

***Results for "Age at Onset of Use" questions exclude students who said they did not use that substance***

**Frequency**
**Row Pct**

| Table of Grade by Alcoholinit | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Alcoholinit(I started using alcohol when I was) | | | | | | | | | |
| Grade(Grade) | 8 or younger | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | Total |
| 10 | 0<br>0.00 | 1<br>14.29 | 0<br>0.00 | 0<br>0.00 | 1<br>14.29 | 2<br>28.57 | 1<br>14.29 | 2<br>28.57 | 0<br>0.00 | 7 |
| 12 | 1<br>8.33 | 0<br>0.00 | 1<br>8.33 | 3<br>25.00 | 2<br>16.67 | 1<br>8.33 | 3<br>25.00 | 0<br>0.00 | 1<br>8.33 | 12 |
| Total | 1 | 1 | 1 | 3 | 3 | 3 | 4 | 2 | 1 | 19 |
| Frequency Missing = 9 | | | | | | | | | | |

**Frequency**
**Row Pct**

| Table of Grade by Cigarettesinit | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | Cigarettesinit(I started smoking tobacco when I was) | | | | | | | |
| Grade(Grade) | 8 or younger | 12 | 13 | 14 | 15 | 16 | 18 or older | Total |
| 10 | 1<br>20.00 | 2<br>40.00 | 0<br>0.00 | 0<br>0.00 | 0<br>0.00 | 1<br>20.00 | 1<br>20.00 | 5 |
| 12 | 1<br>11.11 | 2<br>22.22 | 1<br>11.11 | 1<br>11.11 | 1<br>11.11 | 3<br>33.33 | 0<br>0.00 | 9 |
| Total | 2 | 4 | 1 | 1 | 1 | 4 | 1 | 14 |
| Frequency Missing = 14 | | | | | | | | |

**Frequency**
**Row Pct**

| Table of Grade by Smokelessinit | | | | | | |
|---|---|---|---|---|---|---|
| | Smokelessinit(I started chewing tobacco when I was) | | | | | |
| Grade(Grade) | 8 or younger | 10 | 12 | 16 | 17 | Total |
| 10 | 0<br>0.00 | 1<br>50.00 | 1<br>50.00 | 0<br>0.00 | 0<br>0.00 | 2 |
| 12 | 1<br>25.00 | 0<br>0.00 | 1<br>25.00 | 1<br>25.00 | 1<br>25.00 | 4 |
| Total | 1 | 1 | 2 | 1 | 1 | 6 |
| Frequency Missing = 22 | | | | | | |

***Results for "Age at Onset of Use" questions exclude students who said they did not use that substance***

**Frequency**
**Row Pct**

| Table of Grade by Marijuanainit | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Marijuanainit(I started using marijuana when I was) | | | | | | | | | |
| Grade(Grade) | 8 or younger | 10 | 12 | 13 | 14 | 15 | 16 | 17 | 18 or older | Total |
| 10 | 0<br>0.00 | 1<br>12.50 | 0<br>0.00 | 1<br>12.50 | 2<br>25.00 | 2<br>25.00 | 1<br>12.50 | 1<br>12.50 | 0<br>0.00 | 8 |
| 12 | 1<br>9.09 | 1<br>9.09 | 1<br>9.09 | 1<br>9.09 | 1<br>9.09 | 4<br>36.36 | 1<br>9.09 | 0<br>0.00 | 1<br>9.09 | 11 |
| Total | 1 | 2 | 1 | 2 | 3 | 6 | 2 | 1 | 1 | 19 |
| Frequency Missing = 9 | | | | | | | | | | |

**Frequency**
**Row Pct**

| Table of Grade by Cocaineinit | | | | | |
|---|---|---|---|---|---|
| | Cocaineinit(I started using cocaine when I was) | | | | |
| Grade(Grade) | 8 or younger | 14 | 15 | 16 | Total |
| 10 | 0<br>0.00 | 1<br>100.00 | 0<br>0.00 | 0<br>0.00 | 1 |
| 12 | 1<br>33.33 | 0<br>0.00 | 1<br>33.33 | 1<br>33.33 | 3 |
| Total | 1 | 1 | 1 | 1 | 4 |
| Frequency Missing = 24 | | | | | |

**Frequency**
**Row Pct**

| Table of Grade by Inhalantsinit | | |
|---|---|---|
| | Inhalantsinit(I started using inhalants when I was) | |
| Grade(Grade) | 8 or younger | Total |
| 10 | 0<br>. | 0 |
| 12 | 1<br>100.00 | 1 |
| Total | 1 | 1 |
| Frequency Missing = 27 | | |

***Results for "Age at Onset of Use" questions exclude students who said they did not use that substance***

| Frequency<br>Row Pct | Table of Grade by Steroidsinit | | |
|---|---|---|---|
| | Steroidsinit(I started using steroids when I was) | | |
| Grade(Grade) | 9 | Total | |
| 10 | 0<br>. | 0 | |
| 12 | 1<br>100.00 | 1 | |
| Total | 1 | 1 | |
| Frequency Missing = 27 | | | |

| Frequency<br>Row Pct | Table of Grade by Ecstasyinit | | | | |
|---|---|---|---|---|---|
| | Ecstasyinit(I started using ecstasy when I was) | | | | |
| Grade(Grade) | 8 or younger | 14 | 15 | 16 | Total |
| 10 | 0<br>0.00 | 1<br>100.00 | 0<br>0.00 | 0<br>0.00 | 1 |
| 12 | 1<br>25.00 | 0<br>0.00 | 1<br>25.00 | 2<br>50.00 | 4 |
| Total | 1 | 1 | 1 | 2 | 5 |
| Frequency Missing = 23 | | | | | |

| Frequency<br>Row Pct | Table of Grade by Methinit | | | |
|---|---|---|---|---|
| | Methinit(I started using methamphetamines when I was) | | | |
| Grade(Grade) | 8 or younger | 15 | 17 | Total |
| 10 | 0<br>. | 0<br>. | 0<br>. | 0 |
| 12 | 1<br>33.33 | 1<br>33.33 | 1<br>33.33 | 3 |
| Total | 1 | 1 | 1 | 3 |
| Frequency Missing = 25 | | | | |

***Results for "Age at Onset of Use" questions exclude students who said they did not use that substance***

| Frequency<br>Row Pct | Table of Grade by Hallucinogensinit | | |
|---|---|---|---|
| | Hallucinogensinit(I started using hallucinogens when I was) | | |
| Grade(Grade) | 8 or younger | Total |
| 10 | 0<br>. | 0 |
| 12 | 1<br>100.00 | 1 |
| Total | 1 | 1 |
| Frequency Missing = 27 | | |

| Frequency<br>Row Pct | Table of Grade by Prescriptioninit | | | | |
|---|---|---|---|---|---|
| | Prescriptioninit(I started using prescription drugs not prescribed to me when I was) | | | | |
| Grade(Grade) | 10 | 14 | 15 | 16 | Total |
| 10 | 0<br>0.00 | 1<br>100.00 | 0<br>0.00 | 0<br>0.00 | 1 |
| 12 | 1<br>20.00 | 0<br>0.00 | 1<br>20.00 | 3<br>60.00 | 5 |
| Total | 1 | 1 | 1 | 3 | 6 |
| Frequency Missing = 22 | | | | | |

| Frequency<br>Col Pct | Table of Alcoholharm by Grade | | |
|---|---|---|---|
| Alcoholharm(I think alcohol is harmful) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Strongly Agree | 5<br>35.71 | 5<br>35.71 | 10 |
| Somewhat Agree | 5<br>35.71 | 4<br>28.57 | 9 |
| Somewhat Disagree | 2<br>14.29 | 1<br>7.14 | 3 |
| Strongly Disagree | 2<br>14.29 | 4<br>28.57 | 6 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Cigarettesharm by Grade | | |
|---|---|---|---|
| Cigarettesharm(I think smoking tobacco is harmful) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Strongly Agree | 5<br>35.71 | 9<br>64.29 | 14 |
| Somewhat Agree | 4<br>28.57 | 4<br>28.57 | 8 |
| Somewhat Disagree | 3<br>21.43 | 0<br>0.00 | 3 |
| Strongly Disagree | 2<br>14.29 | 1<br>7.14 | 3 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Smokelessharm by Grade | | |
|---|---|---|---|
| Smokelessharm(I think chewing tobacco is harmful) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Strongly Agree | 9<br>64.29 | 10<br>71.43 | 19 |
| Somewhat Agree | 3<br>21.43 | 3<br>21.43 | 6 |
| Somewhat Disagree | 1<br>7.14 | 1<br>7.14 | 2 |
| Strongly Disagree | 1<br>7.14 | 0<br>0.00 | 1 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanaharm by Grade | | | |
|---|---|---|---|---|
| | Marijuanaharm(I think marijuana is harmful) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 3<br>21.43 | 6<br>42.86 | 9 |
| | Somewhat Agree | 4<br>28.57 | 1<br>7.14 | 5 |
| | Somewhat Disagree | 3<br>21.43 | 2<br>14.29 | 5 |
| | Strongly Disagree | 4<br>28.57 | 5<br>35.71 | 9 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Cocaineharm by Grade | | | |
|---|---|---|---|---|
| | Cocaineharm(I think cocaine is harmful) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 12<br>85.71 | 12<br>85.71 | 24 |
| | Somewhat Agree | 0<br>0.00 | 2<br>14.29 | 2 |
| | Strongly Disagree | 2<br>14.29 | 0<br>0.00 | 2 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Inhalantsharm by Grade | | | |
|---|---|---|---|---|
| | Inhalantsharm(I think inhalants are harmful) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 11<br>78.57 | 13<br>92.86 | 24 |
| | Somewhat Agree | 1<br>7.14 | 1<br>7.14 | 2 |
| | Strongly Disagree | 2<br>14.29 | 0<br>0.00 | 2 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Steroidsharm by Grade | | | |
|---|---|---|---|---|
| | Steroidsharm(I think steroids are harmful) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 11<br>78.57 | 12<br>85.71 | 23 |
| | Somewhat Agree | 1<br>7.14 | 2<br>14.29 | 3 |
| | Strongly Disagree | 2<br>14.29 | 0<br>0.00 | 2 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Ecstasyharm by Grade | | | |
|---|---|---|---|---|
| | Ecstasyharm(I think ecstasy is harmful) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 10<br>71.43 | 11<br>78.57 | 21 |
| | Somewhat Agree | 0<br>0.00 | 1<br>7.14 | 1 |
| | Somewhat Disagree | 2<br>14.29 | 2<br>14.29 | 4 |
| | Strongly Disagree | 2<br>14.29 | 0<br>0.00 | 2 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Methharm by Grade | | | |
|---|---|---|---|---|
| | Methharm(I think methamphetamines are harmful) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 12<br>85.71 | 13<br>92.86 | 25 |
| | Somewhat Agree | 0<br>0.00 | 1<br>7.14 | 1 |
| | Strongly Disagree | 2<br>14.29 | 0<br>0.00 | 2 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Hallucinogensharm by Grade | | | |
|---|---|---|---|---|
| | Hallucinogensharm(I think hallucinogens are harmful) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 12<br>85.71 | 13<br>92.86 | 25 |
| | Somewhat Agree | 0<br>0.00 | 1<br>7.14 | 1 |
| | Strongly Disagree | 2<br>14.29 | 0<br>0.00 | 2 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Prescriptionharm by Grade | | | |
|---|---|---|---|---|
| | Prescriptionharm(I think prescription drugs not prescribed to me are harmful) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 6<br>42.86 | 9<br>64.29 | 15 |
| | Somewhat Agree | 1<br>7.14 | 4<br>28.57 | 5 |
| | Somewhat Disagree | 4<br>28.57 | 0<br>0.00 | 4 |
| | Strongly Disagree | 3<br>21.43 | 1<br>7.14 | 4 |
| | Total | 14 | 14 | 28 |

| Frequency Col Pct | Table of Alcoholadult by Grade | | | |
|---|---|---|---|---|
| | Alcoholadult(Adults would disapprove if I used alcohol) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 8<br>57.14 | 5<br>35.71 | 13 |
| | Somewhat Agree | 2<br>14.29 | 3<br>21.43 | 5 |
| | Somewhat Disagree | 3<br>21.43 | 5<br>35.71 | 8 |
| | Strongly Disagree | 1<br>7.14 | 1<br>7.14 | 2 |
| | Total | 14 | 14 | 28 |

| Frequency Col Pct | Table of Tobaccoadult by Grade | | | |
|---|---|---|---|---|
| | Tobaccoadult(Adults would disapprove if I used tobacco) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 8<br>57.14 | 5<br>35.71 | 13 |
| | Somewhat Agree | 1<br>7.14 | 2<br>14.29 | 3 |
| | Somewhat Disagree | 4<br>28.57 | 5<br>35.71 | 9 |
| | Strongly Disagree | 1<br>7.14 | 2<br>14.29 | 3 |
| | Total | 14 | 14 | 28 |

| Frequency Col Pct | Table of Marijuanaadult by Grade | | | |
|---|---|---|---|---|
| | Marijuanaadult(Adults would disapprove if I used marijuana) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 7<br>50.00 | 7<br>50.00 | 14 |
| | Somewhat Agree | 5<br>35.71 | 1<br>7.14 | 6 |
| | Somewhat Disagree | 1<br>7.14 | 3<br>21.43 | 4 |
| | Strongly Disagree | 1<br>7.14 | 3<br>21.43 | 4 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct |
|---|

| Table of Otherdrugadult by Grade | | | |
|---|---|---|---|
| **Otherdrugadult(Adults would disapprove if I used other drugs)** | **Grade(Grade)** | | |
| | **10** | **12** | **Total** |
| **Strongly Agree** | 13<br>92.86 | 11<br>78.57 | 24 |
| **Somewhat Agree** | 0<br>0.00 | 2<br>14.29 | 2 |
| **Strongly Disagree** | 1<br>7.14 | 1<br>7.14 | 2 |
| **Total** | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Alcoholpeer by Grade | | | |
|---|---|---|---|---|
| | Alcoholpeer(My friends would disapprove if I used alcohol) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 3<br>21.43 | 0<br>0.00 | 3 |
| | Somewhat Agree | 2<br>14.29 | 0<br>0.00 | 2 |
| | Somewhat Disagree | 2<br>14.29 | 8<br>57.14 | 10 |
| | Strongly Disagree | 7<br>50.00 | 6<br>42.86 | 13 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Tobaccopeer by Grade | | | |
|---|---|---|---|---|
| | Tobaccopeer(My friends would disapprove if I used tobacco) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 3<br>21.43 | 2<br>14.29 | 5 |
| | Somewhat Agree | 1<br>7.14 | 0<br>0.00 | 1 |
| | Somewhat Disagree | 2<br>14.29 | 4<br>28.57 | 6 |
| | Strongly Disagree | 8<br>57.14 | 8<br>57.14 | 16 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanapeer by Grade | | | |
|---|---|---|---|---|
| | Marijuanapeer(My friends would disapprove if I used marijuana) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 3<br>21.43 | 1<br>7.14 | 4 |
| | Somewhat Agree | 1<br>7.14 | 0<br>0.00 | 1 |
| | Somewhat Disagree | 2<br>14.29 | 8<br>57.14 | 10 |

| Frequency<br>Col Pct | Table of Marijuanapeer by Grade | | | |
|---|---|---|---|---|
| | Marijuanapeer(My friends would disapprove if I used marijuana) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Disagree | 8<br>57.14 | 5<br>35.71 | 13 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Otherdrugpeer by Grade | | | |
|---|---|---|---|---|
| | Otherdrugpeer(My friends would disapprove if I used other drugs) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 8<br>57.14 | 6<br>42.86 | 14 |
| | Somewhat Agree | 2<br>14.29 | 2<br>14.29 | 4 |
| | Somewhat Disagree | 1<br>7.14 | 3<br>21.43 | 4 |
| | Strongly Disagree | 3<br>21.43 | 3<br>21.43 | 6 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct |
|---|

| Table of Alcohollocation1 by Grade | | | |
|---|---|---|---|
| Alcohollocation1(Places Friends Use Alcohol) | Grade(Grade) | | Total |
| | 10 | 12 | |
| . | 9<br>64.29 | 14<br>100.00 | 23 |
| Do Not Use | 5<br>35.71 | 0<br>0.00 | 5 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct |
|---|

| Table of Alcohollocation2 by Grade | | | |
|---|---|---|---|
| Alcohollocation2(Places Friends Use Alcohol) | Grade(Grade) | | Total |
| | 10 | 12 | |
| . | 8<br>57.14 | 8<br>57.14 | 16 |
| Home | 6<br>42.86 | 6<br>42.86 | 12 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct |
|---|

| Table of Alcohollocation3 by Grade | | | |
|---|---|---|---|
| Alcohollocation3(Places Friends Use Alcohol) | Grade(Grade) | | Total |
| | 10 | 12 | |
| . | 13<br>92.86 | 13<br>92.86 | 26 |
| School | 1<br>7.14 | 1<br>7.14 | 2 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct |
|---|

| Table of Alcohollocation4 by Grade | | | |
|---|---|---|---|
| Alcohollocation4(Places Friends Use Alcohol) | Grade(Grade) | | Total |
| | 10 | 12 | |
| . | 11<br>78.57 | 11<br>78.57 | 22 |
| Car | 3<br>21.43 | 3<br>21.43 | 6 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Alcohollocation5 by Grade | | | |
|---|---|---|---|---|
| | Alcohollocation5(Places Friends Use Alcohol) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 6<br>42.86 | 3<br>21.43 | 9 |
| | Friend's House | 8<br>57.14 | 11<br>78.57 | 19 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Alcohollocation6 by Grade | | | |
|---|---|---|---|---|
| | Alcohollocation6(Places Friends Use Alcohol) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 10<br>71.43 | 10<br>71.43 | 20 |
| | Other | 4<br>28.57 | 4<br>28.57 | 8 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Tobaccolocation1 by Grade | | | |
|---|---|---|---|---|
| | Tobaccolocation1(Places Friends Use Tobacco) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 10<br>71.43 | 12<br>85.71 | 22 |
| | Do Not Use | 4<br>28.57 | 2<br>14.29 | 6 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Tobaccolocation2 by Grade | | | |
|---|---|---|---|---|
| | Tobaccolocation2(Places Friends Use Tobacco) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 7<br>50.00 | 6<br>42.86 | 13 |
| | Home | 7<br>50.00 | 8<br>57.14 | 15 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Tobaccolocation3 by Grade | | | |
|---|---|---|---|---|
| | Tobaccolocation3(Places Friends Use Tobacco) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 9<br>64.29 | 9<br>64.29 | 18 |
| | School | 5<br>35.71 | 5<br>35.71 | 10 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Tobaccolocation4 by Grade | | | |
|---|---|---|---|---|
| | Tobaccolocation4(Places Friends Use Tobacco) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 8<br>57.14 | 6<br>42.86 | 14 |
| | Car | 6<br>42.86 | 8<br>57.14 | 14 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Tobaccolocation5 by Grade | | | |
|---|---|---|---|---|
| | Tobaccolocation5(Places Friends Use Tobacco) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 6<br>42.86 | 4<br>28.57 | 10 |
| | Friend's House | 8<br>57.14 | 10<br>71.43 | 18 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Tobaccolocation6 by Grade | | | |
|---|---|---|---|---|
| | Tobaccolocation6(Places Friends Use Tobacco) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 10<br>71.43 | 8<br>57.14 | 18 |
| | Other | 4<br>28.57 | 6<br>42.86 | 10 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanalocation1 by Grade | | | |
|---|---|---|---|---|
| | Marijuanalocation1(Places Friends Use Marijuana) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 9<br>64.29 | 12<br>85.71 | 21 |
| | Do Not Use | 5<br>35.71 | 2<br>14.29 | 7 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanalocation2 by Grade | | | |
|---|---|---|---|---|
| | Marijuanalocation2(Places Friends Use Marijuana) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 9<br>64.29 | 5<br>35.71 | 14 |
| | Home | 5<br>35.71 | 9<br>64.29 | 14 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanalocation3 by Grade | | | |
|---|---|---|---|---|
| | Marijuanalocation3(Places Friends Use Marijuana) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 12<br>85.71 | 11<br>78.57 | 23 |
| | School | 2<br>14.29 | 3<br>21.43 | 5 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanalocation4 by Grade | | | |
|---|---|---|---|---|
| | Marijuanalocation4(Places Friends Use Marijuana) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 10<br>71.43 | 3<br>21.43 | 13 |
| | Car | 4<br>28.57 | 11<br>78.57 | 15 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanalocation5 by Grade | | | |
|---|---|---|---|---|
| | Marijuanalocation5(Places Friends Use Marijuana) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 6<br>42.86 | 2<br>14.29 | 8 |
| | Friend's House | 8<br>57.14 | 12<br>85.71 | 20 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanalocation6 by Grade | | | |
|---|---|---|---|---|
| | Marijuanalocation6(Places Friends Use Marijuana) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 9<br>64.29 | 8<br>57.14 | 17 |
| | Other | 5<br>35.71 | 6<br>42.86 | 11 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Otherdruglocation1 by Grade | | | |
|---|---|---|---|---|
| | Otherdruglocation1(Places Friends Use Other Illegal Drugs) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 4<br>28.57 | 9<br>64.29 | 13 |
| | Do Not Use | 10<br>71.43 | 5<br>35.71 | 15 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Otherdruglocation2 by Grade | | | |
|---|---|---|---|---|
| | Otherdruglocation2(Places Friends Use Other Illegal Drugs) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 12<br>85.71 | 7<br>50.00 | 19 |
| | Home | 2<br>14.29 | 7<br>50.00 | 9 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Otherdruglocation3 by Grade | | | |
|---|---|---|---|---|
| | Otherdruglocation3(Places Friends Use Other Illegal Drugs) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 12<br>85.71 | 10<br>71.43 | 22 |
| | School | 2<br>14.29 | 4<br>28.57 | 6 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Otherdruglocation4 by Grade | | | |
|---|---|---|---|---|
| | Otherdruglocation4(Places Friends Use Other Illegal Drugs) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 13<br>92.86 | 7<br>50.00 | 20 |
| | Car | 1<br>7.14 | 7<br>50.00 | 8 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Otherdruglocation5 by Grade | | | |
|---|---|---|---|---|
| | Otherdruglocation5(Places Friends Use Other Illegal Drugs) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 11<br>78.57 | 6<br>42.86 | 17 |
| | Friend's House | 3<br>21.43 | 8<br>57.14 | 11 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Otherdruglocation6 by Grade | | | |
|---|---|---|---|---|
| | Otherdruglocation6(Places Friends Use Other Illegal Drugs) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 12<br>85.71 | 12<br>85.71 | 24 |
| | Other | 2<br>14.29 | 2<br>14.29 | 4 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Alcoholtime1 by Grade | | | |
|---|---|---|---|---|
| | Alcoholtime1(Times Friends Use Alcohol) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 12<br>85.71 | 14<br>100.00 | 26 |
| | Do Not Use | 2<br>14.29 | 0<br>0.00 | 2 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Alcoholtime2 by Grade | | | |
|---|---|---|---|---|
| | Alcoholtime2(Times Friends Use Alcohol) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 12<br>85.71 | 13<br>92.86 | 25 |
| | On Way to School | 2<br>14.29 | 1<br>7.14 | 3 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Alcoholtime3 by Grade | | | |
|---|---|---|---|---|
| | Alcoholtime3(Times Friends Use Alcohol) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 13<br>92.86 | 13<br>92.86 | 26 |
| | During School | 1<br>7.14 | 1<br>7.14 | 2 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Alcoholtime4 by Grade | | | |
|---|---|---|---|---|
| | Alcoholtime4(Times Friends Use Alcohol) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 12<br>85.71 | 13<br>92.86 | 25 |
| | On Way Home From School | 2<br>14.29 | 1<br>7.14 | 3 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Alcoholtime5 by Grade | | | |
|---|---|---|---|---|
| | Alcoholtime5(Times Friends Use Alcohol) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 10<br>71.43 | 9<br>64.29 | 19 |
| | Weeknights | 4<br>28.57 | 5<br>35.71 | 9 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Alcoholtime6 by Grade | | | |
|---|---|---|---|---|
| | Alcoholtime6(Times Friends Use Alcohol) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 2<br>14.29 | 0<br>0.00 | 2 |
| | Weekends | 12<br>85.71 | 14<br>100.00 | 26 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Tobaccotime1 by Grade | | | |
|---|---|---|---|---|
| | Tobaccotime1(Times Friends Use Tobacco) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 10<br>71.43 | 12<br>85.71 | 22 |
| | Do Not Use | 4<br>28.57 | 2<br>14.29 | 6 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Tobaccotime2 by Grade | | | |
|---|---|---|---|---|
| | Tobaccotime2(Times Friends Use Tobacco) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | . | 9<br>64.29 | 6<br>42.86 | 15 |
| | On Way to School | 5<br>35.71 | 8<br>57.14 | 13 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Tobaccotime3 by Grade | | | |
|---|---|---|---|---|
| Tobaccotime3(Times Friends Use Tobacco) | Grade(Grade) | | | |
| | 10 | 12 | Total |
| . | 12<br>85.71 | 11<br>78.57 | 23 |
| During School | 2<br>14.29 | 3<br>21.43 | 5 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Tobaccotime4 by Grade | | | |
|---|---|---|---|---|
| Tobaccotime4(Times Friends Use Tobacco) | Grade(Grade) | | | |
| | 10 | 12 | Total |
| . | 12<br>85.71 | 13<br>92.86 | 25 |
| On Way Home From School | 2<br>14.29 | 1<br>7.14 | 3 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Tobaccotime5 by Grade | | | |
|---|---|---|---|---|
| Tobaccotime5(Times Friends Use Tobacco) | Grade(Grade) | | | |
| | 10 | 12 | Total |
| . | 7<br>50.00 | 3<br>21.43 | 10 |
| Weeknights | 7<br>50.00 | 11<br>78.57 | 18 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Tobaccotime6 by Grade | | | |
|---|---|---|---|---|
| Tobaccotime6(Times Friends Use Tobacco) | Grade(Grade) | | | |
| | 10 | 12 | Total |
| . | 6<br>42.86 | 2<br>14.29 | 8 |
| Weekends | 8<br>57.14 | 12<br>85.71 | 20 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanatime1 by Grade | | | |
|---|---|---|---|---|
| | Marijuanatime1(Times Friends Use Marijuana) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 9<br>64.29 | 11<br>78.57 | 20 |
| | Do Not Use | 5<br>35.71 | 3<br>21.43 | 8 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanatime2 by Grade | | | |
|---|---|---|---|---|
| | Marijuanatime2(Times Friends Use Marijuana) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 10<br>71.43 | 8<br>57.14 | 18 |
| | On Way to School | 4<br>28.57 | 6<br>42.86 | 10 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanatime3 by Grade | | | |
|---|---|---|---|---|
| | Marijuanatime3(Times Friends Use Marijuana) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 13<br>92.86 | 13<br>92.86 | 26 |
| | During School | 1<br>7.14 | 1<br>7.14 | 2 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanatime4 by Grade | | | |
|---|---|---|---|---|
| | Marijuanatime4(Times Friends Use Marijuana) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 11<br>78.57 | 8<br>57.14 | 19 |
| | On Way Home From School | 3<br>21.43 | 6<br>42.86 | 9 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanatime5 by Grade | | | |
|---|---|---|---|---|
| | Marijuanatime5(Times Friends Use Marijuana) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 7<br>50.00 | 4<br>28.57 | 11 |
| | Weeknights | 7<br>50.00 | 10<br>71.43 | 17 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Marijuanatime6 by Grade | | | |
|---|---|---|---|---|
| | Marijuanatime6(Times Friends Use Marijuana) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 6<br>42.86 | 4<br>28.57 | 10 |
| | Weekends | 8<br>57.14 | 10<br>71.43 | 18 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Otherdrugtime1 by Grade | | | |
|---|---|---|---|---|
| | Otherdrugtime1(Times Friends Use Other Illegal Drugs) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 4<br>28.57 | 7<br>50.00 | 11 |
| | Do Not Use | 10<br>71.43 | 7<br>50.00 | 17 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Otherdrugtime2 by Grade | | | |
|---|---|---|---|---|
| | Otherdrugtime2(Times Friends Use Other Illegal Drugs) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 13<br>92.86 | 14<br>100.00 | 27 |
| | On Way to School | 1<br>7.14 | 0<br>0.00 | 1 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Otherdrugtime3 by Grade | | | |
|---|---|---|---|---|
| | Otherdrugtime3(Times Friends Use Other Illegal Drugs) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 12<br>85.71 | 14<br>100.00 | 26 |
| | During School | 2<br>14.29 | 0<br>0.00 | 2 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Otherdrugtime4 by Grade | | | |
|---|---|---|---|---|
| | Otherdrugtime4(Times Friends Use Other Illegal Drugs) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 13<br>92.86 | 14<br>100.00 | 27 |
| | On Way Home From School | 1<br>7.14 | 0<br>0.00 | 1 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Otherdrugtime5 by Grade | | | |
|---|---|---|---|---|
| | Otherdrugtime5(Times Friends Use Other Illegal Drugs) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 11<br>78.57 | 11<br>78.57 | 22 |
| | Weeknights | 3<br>21.43 | 3<br>21.43 | 6 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Otherdrugtime6 by Grade | | | |
|---|---|---|---|---|
| | Otherdrugtime6(Times Friends Use Other Illegal Drugs) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | . | 10<br>71.43 | 7<br>50.00 | 17 |
| | Weekends | 4<br>28.57 | 7<br>50.00 | 11 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Educationalcohol by Grade | | | |
|---|---|---|---|---|
| Educationalcohol(I have been taught about alcohol, tobacco, and other drugs within the last year at school) | Grade(Grade) | | Total |
| | 10 | 12 | |
| Yes | 10<br>71.43 | 8<br>57.14 | 18 |
| No | 4<br>28.57 | 6<br>42.86 | 10 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Eversmoked by Grade | | |
|---|---|---|---|
| Eversmoked(I have smoked a cigarette) | Grade(Grade) | | Total |
| | 10 | 12 | |
| Yes | 6<br>42.86 | 11<br>78.57 | 17 |
| No | 8<br>57.14 | 3<br>21.43 | 11 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Drovedrinking by Grade | | |
|---|---|---|---|
| Drovedrinking(In the past 30 days I have driven a car or other vehicle while I was drinking alcohol) | Grade(Grade) | | Total |
| | 10 | 12 | |
| Yes | 3<br>21.43 | 3<br>21.43 | 6 |
| No | 11<br>78.57 | 11<br>78.57 | 22 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Rodedrinking by Grade | | | |
|---|---|---|---|---|
| | Rodedrinking(In the past 30 days I have ridden in a car with a driver who had been drinking alcohol) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | Yes | 3<br>21.43 | 7<br>50.00 | 10 |
| | No | 11<br>78.57 | 7<br>50.00 | 18 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Drugsschool by Grade | | | |
|---|---|---|---|---|
| | Drugsschool(During the past 12 months, I have been offered, sold, or given illegal drugs on school property) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | Yes | 5<br>35.71 | 7<br>50.00 | 12 |
| | No | 9<br>64.29 | 7<br>50.00 | 16 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Helpbullied by Grade | | | |
|---|---|---|---|---|
| | Helpbullied(I would help someone who was being bullied) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | Strongly Agree | 4<br>28.57 | 3<br>21.43 | 7 |
| | Somewhat Agree | 4<br>28.57 | 8<br>57.14 | 12 |
| | Somewhat Disagree | 3<br>21.43 | 3<br>21.43 | 6 |
| | Strongly Disagree | 3<br>21.43 | 0<br>0.00 | 3 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Row Pct | Table of Grade by Bingedrinking | | | | | | |
|---|---|---|---|---|---|---|---|
| | | Bingedrinking(I have drunk five or more drinks of alcohol at one sitting during the last 30 days) | | | | | |
| Grade(Grade) | 0 Days | 1 or 2 days | 3 to 5 days | 6 to 9 days | 10 to 19 days | All 30 days | Total |
| **10** | 8<br>57.14 | 2<br>14.29 | 1<br>7.14 | 0<br>0.00 | 2<br>14.29 | 1<br>7.14 | 14 |
| **12** | 6<br>42.86 | 1<br>7.14 | 1<br>7.14 | 2<br>14.29 | 3<br>21.43 | 1<br>7.14 | 14 |
| **Total** | 14 | 3 | 2 | 2 | 5 | 2 | 28 |

Frequency
Row Pct

| Table of Grade by Dairy | | | | | |
|---|---|---|---|---|---|
| | Dairy(I eat at least 3 servings of dairy products each day) | | | | |
| Grade(Grade) | Strongly Agree | Somewhat Agree | Somewhat Disagree | Strongly Disagree | Total |
| **10** | 6<br>42.86 | 4<br>28.57 | 2<br>14.29 | 2<br>14.29 | 14 |
| **12** | 4<br>28.57 | 7<br>50.00 | 3<br>21.43 | 0<br>0.00 | 14 |
| **Total** | 10 | 11 | 5 | 2 | 28 |

Frequency
Row Pct

| Table of Grade by Fruitveg | | | | | |
|---|---|---|---|---|---|
| | Fruitveg(I eat at least 5 servings of fruits and vegetables each day) | | | | |
| Grade(Grade) | Strongly Agree | Somewhat Agree | Somewhat Disagree | Strongly Disagree | Total |
| **10** | 2<br>14.29 | 3<br>21.43 | 5<br>35.71 | 4<br>28.57 | 14 |
| **12** | 1<br>7.14 | 6<br>42.86 | 6<br>42.86 | 1<br>7.14 | 14 |
| **Total** | 3 | 9 | 11 | 5 | 28 |

Frequency
Row Pct

| Table of Grade by Cafeteriahealthy | | | | |
|---|---|---|---|---|
| | Cafeteriahealthy(School meals in my school cafeteria are healthy) | | | |
| Grade(Grade) | Somewhat Agree | Somewhat Disagree | Strongly Disagree | Total |
| **10** | 7<br>50.00 | 2<br>14.29 | 5<br>35.71 | 14 |
| **12** | 2<br>14.29 | 6<br>42.86 | 6<br>42.86 | 14 |
| **Total** | 9 | 8 | 11 | 28 |

Frequency
Row Pct

| Table of Grade by Cafeterianutrition | | | | | |
|---|---|---|---|---|---|
| | Cafeterianutrition(Facts about nutrition are available in my school cafeteria) | | | | |
| Grade(Grade) | Strongly Agree | Somewhat Agree | Somewhat Disagree | Strongly Disagree | Total |
| **10** | 4<br>28.57 | 5<br>35.71 | 1<br>7.14 | 4<br>28.57 | 14 |
| **12** | 0<br>0.00 | 2<br>14.29 | 9<br>64.29 | 3<br>21.43 | 14 |
| **Total** | 4 | 7 | 10 | 7 | 28 |

| Frequency<br>Row Pct | Table of Grade by Schoollunch | | | | |
|---|---|---|---|---|---|
| | | Schoollunch(I eat school lunch three or more times per week) | | | |
| Grade(Grade) | Strongly Agree | Somewhat Agree | Somewhat Disagree | Strongly Disagree | Total |
| 10 | 6<br>42.86 | 3<br>21.43 | 2<br>14.29 | 3<br>21.43 | 14 |
| 12 | 9<br>64.29 | 3<br>21.43 | 2<br>14.29 | 0<br>0.00 | 14 |
| Total | 15 | 6 | 4 | 3 | 28 |

| Frequency<br>Row Pct | Table of Grade by Foodchoices | | | | |
|---|---|---|---|---|---|
| | | Foodchoices(I make healthy food choices in my school cafeteria) | | | |
| Grade(Grade) | Strongly Agree | Somewhat Agree | Somewhat Disagree | Strongly Disagree | Total |
| 10 | 3<br>21.43 | 5<br>35.71 | 2<br>14.29 | 4<br>28.57 | 14 |
| 12 | 1<br>7.14 | 6<br>42.86 | 3<br>21.43 | 4<br>28.57 | 14 |
| Total | 4 | 11 | 5 | 8 | 28 |

| Frequency<br>Row Pct | Table of Grade by Wholewheat | | | | |
|---|---|---|---|---|---|
| | | Wholewheat(There are whole wheat and multigrain breads and cereals available in my school cafeteria) | | | |
| Grade(Grade) | Strongly Agree | Somewhat Agree | Somewhat Disagree | Strongly Disagree | Total |
| 10 | 4<br>28.57 | 7<br>50.00 | 0<br>0.00 | 3<br>21.43 | 14 |
| 12 | 5<br>35.71 | 3<br>21.43 | 5<br>35.71 | 1<br>7.14 | 14 |
| Total | 9 | 10 | 5 | 4 | 28 |

| Frequency<br>Row Pct | Table of Grade by Healthyvending | | | | |
|---|---|---|---|---|---|
| | Healthyvending(If only healthy snacks and beverages were available in the vending machines during the school day, I would buy them) | | | | |
| Grade(Grade) | Strongly Agree | Somewhat Agree | Somewhat Disagree | Strongly Disagree | Total |
| **10** | 4<br>28.57 | 5<br>35.71 | 3<br>21.43 | 2<br>14.29 | 14 |
| **12** | 2<br>14.29 | 4<br>28.57 | 7<br>50.00 | 1<br>7.14 | 14 |
| **Total** | 6 | 9 | 10 | 3 | 28 |

| Frequency<br>Row Pct | Table of Grade by Schoolbreakfast | | | | |
|---|---|---|---|---|---|
| | Schoolbreakfast(If breakfast were available at school, but outside the cafeteria, I would eat breakfast at school more often) | | | | |
| Grade(Grade) | Strongly Agree | Somewhat Agree | Somewhat Disagree | Strongly Disagree | Total |
| **10** | 2<br>14.29 | 4<br>28.57 | 4<br>28.57 | 4<br>28.57 | 14 |
| **12** | 3<br>21.43 | 5<br>35.71 | 4<br>28.57 | 2<br>14.29 | 14 |
| **Total** | 5 | 9 | 8 | 6 | 28 |

| Frequency<br>Col Pct | Table of Educationaids by Grade | | |
|---|---|---|---|
| Educationaids(I have been taught about HIV/AIDS at school in the past year) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Yes | 8<br>57.14 | 9<br>64.29 | 17 |
| No | 6<br>42.86 | 5<br>35.71 | 11 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Educationcharacter by Grade | | |
|---|---|---|---|
| Educationcharacter(I have been taught about character education in the past year at school) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Yes | 9<br>64.29 | 10<br>71.43 | 19 |
| No | 5<br>35.71 | 4<br>28.57 | 9 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Gradcoach1 by Grade | | |
|---|---|---|---|
| Gradcoach1(I know who my Graduation Coach is) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Yes | 6<br>42.86 | 7<br>50.00 | 13 |
| No | 8<br>57.14 | 7<br>50.00 | 15 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Gradcoach2 by Grade | | |
|---|---|---|---|
| Gradcoach2(I have contacted my Graduation Coach) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Yes | 3<br>21.43 | 7<br>50.00 | 10 |
| No | 11<br>78.57 | 7<br>50.00 | 18 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Gradcoach3 by Grade | | |
|---|---|---|---|
| Gradcoach3(I have received assistance from my Graduation Coach) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Yes | 3<br>21.43 | 6<br>42.86 | 9 |
| No | 5<br>35.71 | 6<br>42.86 | 11 |
| Don't know | 6<br>42.86 | 2<br>14.29 | 8 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Selfharm by Grade | | |
|---|---|---|---|
| Selfharm(During the past 12 months, I harmed myself on purpose Suicideconsider During the past 12 months, I seriously considered suicide) | Grade(Grade) | | |
| | 10 | 12 | Total |
| Yes | 1<br>7.14 | 0<br>0.00 | 1 |
| No | 13<br>92.86 | 14<br>100.00 | 27 |
| Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Suicideconsider by Grade | | | |
|---|---|---|---|---|
| | | Grade(Grade) | | |
| | Suicideconsider | 10 | 12 | Total |
| | Yes | 2<br>14.29 | 0<br>0.00 | 2 |
| | No | 12<br>85.71 | 14<br>100.00 | 26 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Suicideattempt by Grade | | | |
|---|---|---|---|---|
| | Suicideattempt(I have attempted suicide in the last year) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | Yes | 2<br>14.29 | 0<br>0.00 | 2 |
| | No | 12<br>85.71 | 14<br>100.00 | 26 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Instantmessaged by Grade | | | |
|---|---|---|---|---|
| | Instantmessaged(I have instant messaged people I do not even know) | Grade(Grade) | | |
| | | 10 | 12 | Total |
| | Yes | 2<br>14.29 | 3<br>21.43 | 5 |
| | No | 12<br>85.71 | 11<br>78.57 | 23 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Getsalong by Grade | | | |
|---|---|---|---|---|
| | Getsalong(I get along with other students and adults) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 3<br>21.43 | 6<br>42.86 | 9 |
| | Somewhat Agree | 9<br>64.29 | 8<br>57.14 | 17 |
| | Somewhat Disagree | 1<br>7.14 | 0<br>0.00 | 1 |
| | Strongly Disagree | 1<br>7.14 | 0<br>0.00 | 1 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Safehome by Grade | | | |
|---|---|---|---|---|
| | Safehome(I feel safe at home) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Strongly Agree | 10<br>71.43 | 12<br>85.71 | 22 |
| | Somewhat Agree | 3<br>21.43 | 0<br>0.00 | 3 |
| | Somewhat Disagree | 1<br>7.14 | 2<br>14.29 | 3 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Col Pct | Table of Adulttalk by Grade | | | |
|---|---|---|---|---|
| | Adulttalk(I know an adult at school that I can talk with if I need help) | Grade(Grade) | | Total |
| | | 10 | 12 | |
| | Yes | 8<br>57.14 | 9<br>64.29 | 17 |
| | No | 6<br>42.86 | 5<br>35.71 | 11 |
| | Total | 14 | 14 | 28 |

**Frequency**
**Row Pct**

| Table of Grade by Tvtime | | | | | | | |
|---|---|---|---|---|---|---|---|
| | Tvtime(On an average school day, how much unsupervised time do I spend watching TV) | | | | | | |
| Grade(Grade) | None | Less that 1 hour/day | 1 hour/day | 2-3 hours/day | 4-5 hours/day | 6+ hours/day | Total |
| **10** | 1<br>7.14 | 5<br>35.71 | 0<br>0.00 | 5<br>35.71 | 1<br>7.14 | 2<br>14.29 | 14 |
| **12** | 3<br>21.43 | 2<br>14.29 | 2<br>14.29 | 6<br>42.86 | 1<br>7.14 | 0<br>0.00 | 14 |
| **Total** | 4 | 7 | 2 | 11 | 2 | 2 | 28 |

**Frequency**
**Row Pct**

| Table of Grade by Computertime | | | | | | | |
|---|---|---|---|---|---|---|---|
| | Computertime(On an average school day, how much unsupervised time do I spend on the computer) | | | | | | |
| Grade(Grade) | None | Less that 1 hour/day | 1 hour/day | 2-3 hours/day | 4-5 hours/day | 6+ hours/day | Total |
| **10** | 3<br>21.43 | 4<br>28.57 | 2<br>14.29 | 3<br>21.43 | 1<br>7.14 | 1<br>7.14 | 14 |
| **12** | 3<br>21.43 | 4<br>28.57 | 3<br>21.43 | 3<br>21.43 | 1<br>7.14 | 0<br>0.00 | 14 |
| **Total** | 6 | 8 | 5 | 6 | 2 | 1 | 28 |

## *Questions about Driving Laws*
## *Driving Questions were asked only of high school students.*

**Frequency**
**Row Pct**

| Table of Grade by License1 | | | | | | |
|---|---|---|---|---|---|---|
| | License1(During the first 6 months of driving with a provisional license, the only passengers who can ride with the driver are:) | | | | | |
| Grade(Grade) | Parent or Guardian | Family Members | Friends | Anyone | Don't Know | Total |
| 10 | 2<br>14.29 | 3<br>21.43 | 1<br>7.14 | 2<br>14.29 | 6<br>42.86 | 14 |
| 12 | 6<br>42.86 | 5<br>35.71 | 1<br>7.14 | 1<br>7.14 | 1<br>7.14 | 14 |
| Total | 8 | 8 | 2 | 3 | 7 | 28 |

**Frequency**
**Row Pct**

| Table of Grade by License2 | | | | | | |
|---|---|---|---|---|---|---|
| | License2(17 yr old drivers with a provisional driver's license cannot drive between the hours of:) | | | | | |
| Grade(Grade) | Midnight to 6am | 1am to 5am | 1am to 6am | No curfew for 17 year olds | Don't Know | Total |
| 10 | 6<br>42.86 | 3<br>21.43 | 0<br>0.00 | 1<br>7.14 | 4<br>28.57 | 14 |
| 12 | 7<br>50.00 | 2<br>14.29 | 3<br>21.43 | 2<br>14.29 | 0<br>0.00 | 14 |
| Total | 13 | 5 | 3 | 3 | 4 | 28 |

**Frequency**
**Row Pct**

| Table of Grade by License3 | | | | | | | |
|---|---|---|---|---|---|---|---|
| | License3(For drivers under the age of 21, what level of alcohol is considered DUI?) | | | | | | |
| Grade(Grade) | Any Amount | 0.02 | 0.04 | 0.06 | 0.08 | Don't know | Total |
| 10 | 5<br>35.71 | 0<br>0.00 | 0<br>0.00 | 0<br>0.00 | 2<br>14.29 | 7<br>50.00 | 14 |
| 12 | 5<br>35.71 | 1<br>7.14 | 3<br>21.43 | 1<br>7.14 | 4<br>28.57 | 0<br>0.00 | 14 |
| Total | 10 | 1 | 3 | 1 | 6 | 7 | 28 |

## *Questions about Driving Laws*
## *Driving Questions were asked only of high school students.*

**Frequency**
**Row Pct**

| Table of Grade by License4 | | | | | | | |
|---|---|---|---|---|---|---|---|
| | License4(A driver under 21 automatically loses his/her license if caught exceeding the posted speet limit by:) | | | | | | |
| Grade(Grade) | 15+ mph | 25+ mph | 35+ mph | Depends on judge | Can't lose license for speeding | Don't know | Total |
| **10** | 0<br>0.00 | 0<br>0.00 | 4<br>28.57 | 3<br>21.43 | 2<br>14.29 | 5<br>35.71 | 14 |
| **12** | 3<br>21.43 | 6<br>42.86 | 1<br>7.14 | 4<br>28.57 | 0<br>0.00 | 0<br>0.00 | 14 |
| **Total** | 3 | 6 | 5 | 7 | 2 | 5 | 28 |

**Frequency**
**Row Pct**

| Table of Grade by License5 | | | | |
|---|---|---|---|---|
| | License5(A Georgia teenager with family connections or a good lawyer can break a teen driving law and keep their driver's license) | | | |
| Grade(Grade) | Yes | No | Don't know | Total |
| **10** | 1<br>7.14 | 6<br>42.86 | 7<br>50.00 | 14 |
| **12** | 4<br>28.57 | 6<br>42.86 | 4<br>28.57 | 14 |
| **Total** | 5 | 12 | 11 | 28 |

## *Questions about Driving Laws*
## *Driving Questions were asked only of high school students.*

**Frequency**
**Row Pct**

| Table of Grade by License6 | | | | |
|---|---|---|---|---|
| | License6(I know a friend or classmate that broke a teen driving law, but was allowed to keep his/her license) | | | |
| Grade(Grade) | Yes | No | Don't know | Total |
| **10** | 2<br>14.29 | 6<br>42.86 | 6<br>42.86 | 14 |
| **12** | 7<br>50.00 | 3<br>21.43 | 4<br>28.57 | 14 |
| **Total** | 9 | 9 | 10 | 28 |

**Frequency**
**Row Pct**

| Table of Grade by License7 | | | | |
|---|---|---|---|---|
| | License7(A student under the age of 18 cam loser his/her driving privileges if he or she:) | | | |
| Grade(Grade) | Have more than 10 unexcused absences per school yr | Drop out without graduating | All of the above | Total |
| **10** | 3<br>21.43 | 0<br>0.00 | 11<br>78.57 | 14 |
| **12** | 3<br>21.43 | 2<br>14.29 | 9<br>64.29 | 14 |
| **Total** | 6 | 2 | 20 | 28 |

| Frequency Col Pct | Table of SchoolClimate2 by Gender | | | |
|---|---|---|---|---|
| | SchoolClimate2(I feel successful at school) | Gender(Gender) | | Total |
| | | Female | Male | |
| | Strongly Agree | 3<br>50.00 | 7<br>31.82 | 10 |
| | Somewhat Agree | 3<br>50.00 | 12<br>54.55 | 15 |
| | Somewhat Disagree | 0<br>0.00 | 3<br>13.64 | 3 |
| | Total | 6 | 22 | 28 |

| Frequency Col Pct | Table of SchoolClimate6 by Gender | | | |
|---|---|---|---|---|
| | SchoolClimate6(Teachers treat me with respect) | Gender(Gender) | | Total |
| | | Female | Male | |
| | Strongly Agree | 2<br>33.33 | 7<br>31.82 | 9 |
| | Somewhat Agree | 3<br>50.00 | 13<br>59.09 | 16 |
| | Somewhat Disagree | 1<br>16.67 | 2<br>9.09 | 3 |
| | Total | 6 | 22 | 28 |

| Frequency Col Pct | Table of SchoolClimate8 by Gender | | | |
|---|---|---|---|---|
| | SchoolClimate8(Students are frequently recognized for good behavior) | Gender(Gender) | | Total |
| | | Female | Male | |
| | Strongly Agree | 4<br>66.67 | 6<br>27.27 | 10 |
| | Somewhat Agree | 1<br>16.67 | 9<br>40.91 | 10 |
| | Somewhat Disagree | 0<br>0.00 | 4<br>18.18 | 4 |
| | Strongly Disagree | 1<br>16.67 | 3<br>13.64 | 4 |
| | Total | 6 | 22 | 28 |

| Frequency<br>Row Pct | Table of Gender by Dropout | | |
|---|---|---|---|
| | Dropout(I have thought about dropping out of school) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 0<br>0.00 | 6<br>100.00 | 6 |
| Male | 14<br>63.64 | 8<br>36.36 | 22 |
| Total | 14 | 14 | 28 |

| Frequency<br>Row Pct | Table of Gender by Dropoutreason | | | | |
|---|---|---|---|---|---|
| | Dropoutreason(If I dropped out the reason would most likely be...) | | | | |
| Gender(Gender) | Won't Drop out | Bored | Family Reasons | Other | Total |
| Female | 4<br>66.67 | 0<br>0.00 | 1<br>16.67 | 1<br>16.67 | 6 |
| Male | 7<br>31.82 | 7<br>31.82 | 0<br>0.00 | 8<br>36.36 | 22 |
| Total | 11 | 7 | 1 | 9 | 28 |

| Frequency<br>Row Pct | Table of Gender by Bullied2 | | |
|---|---|---|---|
| | Bullied2 | | |
| Gender(Gender) | Yes | No | Total |
| Female | 1<br>16.67 | 5<br>83.33 | 6 |
| Male | 1<br>4.55 | 21<br>95.45 | 22 |
| Total | 2 | 26 | 28 |

| Frequency<br>Row Pct | Table of Gender by Bulliedothers2 | | |
|---|---|---|---|
| | Bulliedothers2 | | |
| Gender(Gender) | Yes | No | Total |
| Female | 1<br>16.67 | 5<br>83.33 | 6 |
| Male | 1<br>4.55 | 21<br>95.45 | 22 |
| Total | 2 | 26 | 28 |

| Frequency<br>Row Pct | Table of Gender by Weaponschool2 | | |
|---|---|---|---|
| | Weaponschool2 | | |
| Gender(Gender) | Yes | No | Total |
| Female | 1<br>16.67 | 5<br>83.33 | 6 |
| Male | 0<br>0.00 | 22<br>100.00 | 22 |
| Total | 1 | 27 | 28 |

| Frequency<br>Row Pct | Table of Gender by Absentunsafe2 | |
|---|---|---|
| | Absentunsafe2 | |
| Gender(Gender) | No | Total |
| Female | 6<br>100.00 | 6 |
| Male | 22<br>100.00 | 22 |
| Total | 28 | 28 |

| Frequency<br>Row Pct | Table of Gender by Gangself | | |
|---|---|---|---|
| | Gangself(I have participated in illegal gang activities in the past 30 days) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 0<br>0.00 | 6<br>100.00 | 6 |
| Male | 5<br>22.73 | 17<br>77.27 | 22 |
| Total | 5 | 23 | 28 |

| Frequency<br>Row Pct | Table of Gender by Gangpeers | | |
|---|---|---|---|
| | Gangpeers(I have friends who have participated in illegal gang activities in the past 30 days) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 0<br>0.00 | 6<br>100.00 | 6 |
| Male | 15<br>68.18 | 7<br>31.82 | 22 |
| Total | 15 | 13 | 28 |

| Frequency<br>Row Pct | Table of Gender by Pickedon2 | | |
|---|---|---|---|
| | Pickedon2 | | |
| Gender(Gender) | Yes | No | Total |
| Female | 2<br>33.33 | 4<br>66.67 | 6 |
| Male | 6<br>27.27 | 16<br>72.73 | 22 |
| Total | 8 | 20 | 28 |

| Frequency<br>Row Pct |
|---|

| Table of Gender by Safeschool2 | | | |
|---|---|---|---|
| | Safeschool2 | | |
| Gender(Gender) | Yes | No | Total |
| Female | 4<br>66.67 | 2<br>33.33 | 6 |
| Male | 16<br>72.73 | 6<br>27.27 | 22 |
| Total | 20 | 8 | 28 |

| Frequency<br>Row Pct | Table of Gender by AlcoholAlt | | |
|---|---|---|---|
| | AlcoholAlt(Alcohol use, past 30 days) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 3<br>50.00 | 3<br>50.00 | 6 |
| Male | 13<br>59.09 | 9<br>40.91 | 22 |
| Total | 16 | 12 | 28 |

| Frequency<br>Row Pct | Table of Gender by TobaccoAny | | |
|---|---|---|---|
| | TobaccoAny(Tobacco use, past 30 days) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 2<br>33.33 | 4<br>66.67 | 6 |
| Male | 12<br>54.55 | 10<br>45.45 | 22 |
| Total | 14 | 14 | 28 |

| Frequency<br>Row Pct | Table of Gender by MarijuanaAlt | | |
|---|---|---|---|
| | MarijuanaAlt(Marijuana use, past 30 days) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 1<br>16.67 | 5<br>83.33 | 6 |
| Male | 13<br>59.09 | 9<br>40.91 | 22 |
| Total | 14 | 14 | 28 |

| Frequency<br>Row Pct | Table of Gender by OtherDrugAny | | |
|---|---|---|---|
| | OtherDrugAny(Other drug use, past 30 days) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 0<br>0.00 | 6<br>100.00 | 6 |
| Male | 7<br>31.82 | 15<br>68.18 | 22 |
| Total | 7 | 21 | 28 |

## *Average Age at Onset of Use*

***Results for "Average Age at Onset of Use" questions exclude students who said they did not use that substance***

**Gender=Female**

| Variable | Label | Mean |
|---|---|---|
| Alcoholinit2 | I started using alcohol when I was | 13.00 |
| Cigarettesinit2 | I started smoking tobacco when I was | 8.00 |
| Smokelessinit2 | I started chewing tobacco when I was | . |
| Marijuanainit2 | I started using marijuana when I was | 15.00 |
| Cocaineinit2 | I started using cocaine when I was | . |
| Inhalantsinit2 | I started using inhalants when I was | . |
| Steroidsinit2 | I started using steroids when I was | . |
| Ecstasyinit2 | I started using ecstasy when I was | . |
| Methinit2 | I started using methamphetamines when I was | . |
| Hallucinogensinit2 | I started using hallucinogens when I was | . |
| Prescriptioninit2 | I started using prescription drugs not prescribed to me when I was | . |

**Gender=Male**

| Variable | Label | Mean |
|---|---|---|
| Alcoholinit2 | I started using alcohol when I was | 13.50 |
| Cigarettesinit2 | I started smoking tobacco when I was | 13.85 |
| Smokelessinit2 | I started chewing tobacco when I was | 12.50 |
| Marijuanainit2 | I started using marijuana when I was | 13.75 |
| Cocaineinit2 | I started using cocaine when I was | 13.25 |
| Inhalantsinit2 | I started using inhalants when I was | 8.00 |
| Steroidsinit2 | I started using steroids when I was | 9.00 |
| Ecstasyinit2 | I started using ecstasy when I was | 13.80 |
| Methinit2 | I started using methamphetamines when I was | 13.33 |
| Hallucinogensinit2 | I started using hallucinogens when I was | 8.00 |
| Prescriptioninit2 | I started using prescription drugs not prescribed to me when I was | 14.50 |

| Frequency<br>Row Pct | Table of Gender by Alcoholharmdich | | |
|---|---|---|---|
| | Alcoholharmdich(I think alcohol is harmful) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 4<br>66.67 | 2<br>33.33 | 6 |
| Male | 15<br>68.18 | 7<br>31.82 | 22 |
| Total | 19 | 9 | 28 |

| Frequency<br>Row Pct | Table of Gender by Tobaccoharmdich | | |
|---|---|---|---|
| | Tobaccoharmdich(I think tobacco is harmful) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 5<br>83.33 | 1<br>16.67 | 6 |
| Male | 21<br>95.45 | 1<br>4.55 | 22 |
| Total | 26 | 2 | 28 |

| Frequency<br>Row Pct | Table of Gender by Marijuanaharmdich | | |
|---|---|---|---|
| | Marijuanaharmdich(I think marijuana is harmful) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 4<br>66.67 | 2<br>33.33 | 6 |
| Male | 10<br>45.45 | 12<br>54.55 | 22 |
| Total | 14 | 14 | 28 |

| Frequency<br>Row Pct | Table of Gender by Otherdrugharmdich | | |
|---|---|---|---|
| | Otherdrugharmdich(I think other drugs are harmful) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 4<br>66.67 | 2<br>33.33 | 6 |
| Male | 22<br>100.00 | 0<br>0.00 | 22 |
| Total | 26 | 2 | 28 |

| Frequency<br>Row Pct | Table of Gender by Alcohollocation1 | | | |
|---|---|---|---|---|
| | | Alcohollocation1(Places Friends Use Alcohol) | | |
| | Gender(Gender) | . | Do Not Use | Total |
| | Female | 3<br>50.00 | 3<br>50.00 | 6 |
| | Male | 20<br>90.91 | 2<br>9.09 | 22 |
| | Total | 23 | 5 | 28 |

| Frequency<br>Row Pct | Table of Gender by Alcohollocation2 | | | |
|---|---|---|---|---|
| | | Alcohollocation2(Places Friends Use Alcohol) | | |
| | Gender(Gender) | . | Home | Total |
| | Female | 5<br>83.33 | 1<br>16.67 | 6 |
| | Male | 11<br>50.00 | 11<br>50.00 | 22 |
| | Total | 16 | 12 | 28 |

| Frequency<br>Row Pct | Table of Gender by Alcohollocation3 | | | |
|---|---|---|---|---|
| | | Alcohollocation3(Places Friends Use Alcohol) | | |
| | Gender(Gender) | . | School | Total |
| | Female | 6<br>100.00 | 0<br>0.00 | 6 |
| | Male | 20<br>90.91 | 2<br>9.09 | 22 |
| | Total | 26 | 2 | 28 |

| Frequency<br>Row Pct | Table of Gender by Alcohollocation4 | | | |
|---|---|---|---|---|
| | | Alcohollocation4(Places Friends Use Alcohol) | | |
| | Gender(Gender) | . | Car | Total |
| | Female | 6<br>100.00 | 0<br>0.00 | 6 |
| | Male | 16<br>72.73 | 6<br>27.27 | 22 |
| | Total | 22 | 6 | 28 |

| Frequency<br>Row Pct | Table of Gender by Alcohollocation5 | | | |
|---|---|---|---|---|
| | | Alcohollocation5(Places Friends Use Alcohol) | | |
| | Gender(Gender) | . | Friend's House | Total |
| | Female | 3<br>50.00 | 3<br>50.00 | 6 |
| | Male | 6<br>27.27 | 16<br>72.73 | 22 |
| | Total | 9 | 19 | 28 |

| Frequency<br>Row Pct | Table of Gender by Alcohollocation6 | | | |
|---|---|---|---|---|
| | | Alcohollocation6(Places Friends Use Alcohol) | | |
| | Gender(Gender) | . | Other | Total |
| | Female | 6<br>100.00 | 0<br>0.00 | 6 |
| | Male | 14<br>63.64 | 8<br>36.36 | 22 |
| | Total | 20 | 8 | 28 |

| Frequency<br>Row Pct | Table of Gender by Tobaccolocation1 | | | |
|---|---|---|---|---|
| | | Tobaccolocation1(Places Friends Use Tobacco) | | |
| | Gender(Gender) | . | Do Not Use | Total |
| | Female | 2<br>33.33 | 4<br>66.67 | 6 |
| | Male | 20<br>90.91 | 2<br>9.09 | 22 |
| | Total | 22 | 6 | 28 |

| Frequency<br>Row Pct | Table of Gender by Tobaccolocation2 | | | |
|---|---|---|---|---|
| | | Tobaccolocation2(Places Friends Use Tobacco) | | |
| | Gender(Gender) | . | Home | Total |
| | Female | 5<br>83.33 | 1<br>16.67 | 6 |
| | Male | 8<br>36.36 | 14<br>63.64 | 22 |
| | Total | 13 | 15 | 28 |

| Frequency<br>Row Pct | Table of Gender by Tobaccolocation3 | | |
|---|---|---|---|
| | Tobaccolocation3(Places Friends Use Tobacco) | | |
| Gender(Gender) | . | School | Total |
| Female | 6<br>100.00 | 0<br>0.00 | 6 |
| Male | 12<br>54.55 | 10<br>45.45 | 22 |
| Total | 18 | 10 | 28 |

| Frequency<br>Row Pct | Table of Gender by Tobaccolocation4 | | |
|---|---|---|---|
| | Tobaccolocation4(Places Friends Use Tobacco) | | |
| Gender(Gender) | . | Car | Total |
| Female | 5<br>83.33 | 1<br>16.67 | 6 |
| Male | 9<br>40.91 | 13<br>59.09 | 22 |
| Total | 14 | 14 | 28 |

| Frequency<br>Row Pct | Table of Gender by Tobaccolocation5 | | |
|---|---|---|---|
| | Tobaccolocation5(Places Friends Use Tobacco) | | |
| Gender(Gender) | . | Friend's House | Total |
| Female | 4<br>66.67 | 2<br>33.33 | 6 |
| Male | 6<br>27.27 | 16<br>72.73 | 22 |
| Total | 10 | 18 | 28 |

| Frequency<br>Row Pct | Table of Gender by Tobaccolocation6 | | |
|---|---|---|---|
| | Tobaccolocation6(Places Friends Use Tobacco) | | |
| Gender(Gender) | . | Other | Total |
| Female | 6<br>100.00 | 0<br>0.00 | 6 |
| Male | 12<br>54.55 | 10<br>45.45 | 22 |
| Total | 18 | 10 | 28 |

| Frequency<br>Row Pct | Table of Gender by Marijuanalocation1 | | | |
|---|---|---|---|---|
| | | Marijuanalocation1(Places Friends Use Marijuana) | | |
| | Gender(Gender) | . | Do Not Use | Total |
| | Female | 3<br>50.00 | 3<br>50.00 | 6 |
| | Male | 18<br>81.82 | 4<br>18.18 | 22 |
| | Total | 21 | 7 | 28 |

| Frequency<br>Row Pct | Table of Gender by Marijuanalocation2 | | | |
|---|---|---|---|---|
| | | Marijuanalocation2(Places Friends Use Marijuana) | | |
| | Gender(Gender) | . | Home | Total |
| | Female | 6<br>100.00 | 0<br>0.00 | 6 |
| | Male | 8<br>36.36 | 14<br>63.64 | 22 |
| | Total | 14 | 14 | 28 |

| Frequency<br>Row Pct | Table of Gender by Marijuanalocation3 | | | |
|---|---|---|---|---|
| | | Marijuanalocation3(Places Friends Use Marijuana) | | |
| | Gender(Gender) | . | School | Total |
| | Female | 6<br>100.00 | 0<br>0.00 | 6 |
| | Male | 17<br>77.27 | 5<br>22.73 | 22 |
| | Total | 23 | 5 | 28 |

| Frequency<br>Row Pct | Table of Gender by Marijuanalocation4 | | | |
|---|---|---|---|---|
| | | Marijuanalocation4(Places Friends Use Marijuana) | | |
| | Gender(Gender) | . | Car | Total |
| | Female | 5<br>83.33 | 1<br>16.67 | 6 |
| | Male | 8<br>36.36 | 14<br>63.64 | 22 |
| | Total | 13 | 15 | 28 |

| Frequency<br>Row Pct | Table of Gender by Marijuanalocation5 | | | |
|---|---|---|---|---|
| | | Marijuanalocation5(Places Friends Use Marijuana) | | |
| | Gender(Gender) | . | Friend's House | Total |
| | Female | 3<br>50.00 | 3<br>50.00 | 6 |
| | Male | 5<br>22.73 | 17<br>77.27 | 22 |
| | Total | 8 | 20 | 28 |

| Frequency<br>Row Pct | Table of Gender by Marijuanalocation6 | | | |
|---|---|---|---|---|
| | | Marijuanalocation6(Places Friends Use Marijuana) | | |
| | Gender(Gender) | . | Other | Total |
| | Female | 5<br>83.33 | 1<br>16.67 | 6 |
| | Male | 12<br>54.55 | 10<br>45.45 | 22 |
| | Total | 17 | 11 | 28 |

| Frequency<br>Row Pct | Table of Gender by Otherdruglocation1 | | | |
|---|---|---|---|---|
| | | Otherdruglocation1(Places Friends Use Other Illegal Drugs) | | |
| | Gender(Gender) | . | Do Not Use | Total |
| | Female | 1<br>16.67 | 5<br>83.33 | 6 |
| | Male | 12<br>54.55 | 10<br>45.45 | 22 |
| | Total | 13 | 15 | 28 |

| Frequency<br>Row Pct | Table of Gender by Otherdruglocation2 | | | |
|---|---|---|---|---|
| | | Otherdruglocation2(Places Friends Use Other Illegal Drugs) | | |
| | Gender(Gender) | . | Home | Total |
| | Female | 6<br>100.00 | 0<br>0.00 | 6 |
| | Male | 13<br>59.09 | 9<br>40.91 | 22 |
| | Total | 19 | 9 | 28 |

| Frequency<br>Row Pct | Table of Gender by Otherdruglocation3 | | | |
|---|---|---|---|---|
| | | Otherdruglocation3(Places Friends Use Other Illegal Drugs) | | |
| | Gender(Gender) | . | School | Total |
| | Female | 6<br>100.00 | 0<br>0.00 | 6 |
| | Male | 16<br>72.73 | 6<br>27.27 | 22 |
| | Total | 22 | 6 | 28 |

| Frequency<br>Row Pct | Table of Gender by Otherdruglocation4 | | | |
|---|---|---|---|---|
| | | Otherdruglocation4(Places Friends Use Other Illegal Drugs) | | |
| | Gender(Gender) | . | Car | Total |
| | Female | 6<br>100.00 | 0<br>0.00 | 6 |
| | Male | 14<br>63.64 | 8<br>36.36 | 22 |
| | Total | 20 | 8 | 28 |

| Frequency<br>Row Pct | Table of Gender by Otherdruglocation5 | | | |
|---|---|---|---|---|
| | | Otherdruglocation5(Places Friends Use Other Illegal Drugs) | | |
| | Gender(Gender) | . | Friend's House | Total |
| | Female | 5<br>83.33 | 1<br>16.67 | 6 |
| | Male | 12<br>54.55 | 10<br>45.45 | 22 |
| | Total | 17 | 11 | 28 |

| Frequency<br>Row Pct |
|---|

| Table of Gender by Otherdruglocation6 | | | |
|---|---|---|---|
| | Otherdruglocation6(Places Friends Use Other Illegal Drugs) | | |
| Gender(Gender) | . | Other | Total |
| Female | 6<br>100.00 | 0<br>0.00 | 6 |
| Male | 18<br>81.82 | 4<br>18.18 | 22 |
| Total | 24 | 4 | 28 |

| Frequency<br>Row Pct | Table of Gender by Alcoholtime1 | | |
|---|---|---|---|
| | Alcoholtime1(Times Friends Use Alcohol) | | |
| Gender(Gender) | . | Do Not Use | Total |
| Female | 4<br>66.67 | 2<br>33.33 | 6 |
| Male | 22<br>100.00 | 0<br>0.00 | 22 |
| Total | 26 | 2 | 28 |

| Frequency<br>Row Pct | Table of Gender by Alcoholtime2 | | |
|---|---|---|---|
| | Alcoholtime2(Times Friends Use Alcohol) | | |
| Gender(Gender) | . | On Way to School | Total |
| Female | 6<br>100.00 | 0<br>0.00 | 6 |
| Male | 19<br>86.36 | 3<br>13.64 | 22 |
| Total | 25 | 3 | 28 |

| Frequency<br>Row Pct | Table of Gender by Alcoholtime3 | | |
|---|---|---|---|
| | Alcoholtime3(Times Friends Use Alcohol) | | |
| Gender(Gender) | . | During School | Total |
| Female | 6<br>100.00 | 0<br>0.00 | 6 |
| Male | 20<br>90.91 | 2<br>9.09 | 22 |
| Total | 26 | 2 | 28 |

| Frequency<br>Row Pct | Table of Gender by Alcoholtime4 | | |
|---|---|---|---|
| | Alcoholtime4(Times Friends Use Alcohol) | | |
| Gender(Gender) | . | On Way Home From School | Total |
| Female | 6<br>100.00 | 0<br>0.00 | 6 |
| Male | 19<br>86.36 | 3<br>13.64 | 22 |
| Total | 25 | 3 | 28 |

| Frequency<br>Row Pct | Table of Gender by Alcoholtime5 | | |
|---|---|---|---|
| | Alcoholtime5(Times Friends Use Alcohol) | | |
| Gender(Gender) | . | Weeknights | Total |
| Female | 5<br>83.33 | 1<br>16.67 | 6 |
| Male | 14<br>63.64 | 8<br>36.36 | 22 |
| Total | 19 | 9 | 28 |

| Frequency<br>Row Pct | Table of Gender by Alcoholtime6 | | |
|---|---|---|---|
| | Alcoholtime6(Times Friends Use Alcohol) | | |
| Gender(Gender) | . | Weekends | Total |
| Female | 2<br>33.33 | 4<br>66.67 | 6 |
| Male | 0<br>0.00 | 22<br>100.00 | 22 |
| Total | 2 | 26 | 28 |

| Frequency<br>Row Pct | Table of Gender by Tobaccotime1 | | |
|---|---|---|---|
| | Tobaccotime1(Times Friends Use Tobacco) | | |
| Gender(Gender) | . | Do Not Use | Total |
| Female | 2<br>33.33 | 4<br>66.67 | 6 |
| Male | 20<br>90.91 | 2<br>9.09 | 22 |
| Total | 22 | 6 | 28 |

| Frequency<br>Row Pct | Table of Gender by Tobaccotime2 | | |
|---|---|---|---|
| | Tobaccotime2(Times Friends Use Tobacco) | | |
| Gender(Gender) | . | On Way to School | Total |
| Female | 5<br>83.33 | 1<br>16.67 | 6 |
| Male | 10<br>45.45 | 12<br>54.55 | 22 |
| Total | 15 | 13 | 28 |

| Frequency<br>Row Pct | Table of Gender by Tobaccotime3 | | |
|---|---|---|---|
| | Tobaccotime3(Times Friends Use Tobacco) | | |
| Gender(Gender) | . | During School | Total |
| Female | 6<br>100.00 | 0<br>0.00 | 6 |
| Male | 17<br>77.27 | 5<br>22.73 | 22 |
| Total | 23 | 5 | 28 |

| Frequency<br>Row Pct | Table of Gender by Tobaccotime4 | | |
|---|---|---|---|
| | Tobaccotime4(Times Friends Use Tobacco) | | |
| Gender(Gender) | . | On Way Home From School | Total |
| Female | 6<br>100.00 | 0<br>0.00 | 6 |
| Male | 19<br>86.36 | 3<br>13.64 | 22 |
| Total | 25 | 3 | 28 |

| Frequency<br>Row Pct | Table of Gender by Tobaccotime5 | | |
|---|---|---|---|
| | Tobaccotime5(Times Friends Use Tobacco) | | |
| Gender(Gender) | . | Weeknights | Total |
| Female | 4<br>66.67 | 2<br>33.33 | 6 |
| Male | 6<br>27.27 | 16<br>72.73 | 22 |
| Total | 10 | 18 | 28 |

| Frequency<br>Row Pct | Table of Gender by Tobaccotime6 | | |
|---|---|---|---|
| | Tobaccotime6(Times Friends Use Tobacco) | | |
| Gender(Gender) | . | Weekends | Total |
| Female | 4<br>66.67 | 2<br>33.33 | 6 |
| Male | 4<br>18.18 | 18<br>81.82 | 22 |
| Total | 8 | 20 | 28 |

| Frequency<br>Row Pct | Table of Gender by Marijuanatime1 | | |
|---|---|---|---|
| | Marijuanatime1(Times Friends Use Marijuana) | | |
| Gender(Gender) | . | Do Not Use | Total |
| Female | 3<br>50.00 | 3<br>50.00 | 6 |
| Male | 17<br>77.27 | 5<br>22.73 | 22 |
| Total | 20 | 8 | 28 |

| Frequency<br>Row Pct | Table of Gender by Marijuanatime2 | | |
|---|---|---|---|
| | Marijuanatime2(Times Friends Use Marijuana) | | |
| Gender(Gender) | . | On Way to School | Total |
| Female | 6<br>100.00 | 0<br>0.00 | 6 |
| Male | 12<br>54.55 | 10<br>45.45 | 22 |
| Total | 18 | 10 | 28 |

| Frequency<br>Row Pct | Table of Gender by Marijuanatime3 | | |
|---|---|---|---|
| | Marijuanatime3(Times Friends Use Marijuana) | | |
| Gender(Gender) | . | During School | Total |
| Female | 6<br>100.00 | 0<br>0.00 | 6 |
| Male | 20<br>90.91 | 2<br>9.09 | 22 |
| Total | 26 | 2 | 28 |

| Frequency<br>Row Pct | Table of Gender by Marijuanatime4 | | |
|---|---|---|---|
| | Marijuanatime4(Times Friends Use Marijuana) | | |
| Gender(Gender) | . | On Way Home From School | Total |
| Female | 6<br>100.00 | 0<br>0.00 | 6 |
| Male | 13<br>59.09 | 9<br>40.91 | 22 |
| Total | 19 | 9 | 28 |

| Frequency<br>Row Pct | Table of Gender by Marijuanatime5 | | |
|---|---|---|---|
| | Marijuanatime5(Times Friends Use Marijuana) | | |
| Gender(Gender) | . | Weeknights | Total |
| Female | 4<br>66.67 | 2<br>33.33 | 6 |
| Male | 7<br>31.82 | 15<br>68.18 | 22 |
| Total | 11 | 17 | 28 |

| Frequency<br>Row Pct | Table of Gender by Marijuanatime6 | | |
|---|---|---|---|
| | Marijuanatime6(Times Friends Use Marijuana) | | |
| Gender(Gender) | . | Weekends | Total |
| Female | 4<br>66.67 | 2<br>33.33 | 6 |
| Male | 6<br>27.27 | 16<br>72.73 | 22 |
| Total | 10 | 18 | 28 |

| Frequency<br>Row Pct | Table of Gender by Otherdrugtime1 | | | |
|---|---|---|---|---|
| | | Otherdrugtime1(Times Friends Use Other Illegal Drugs) | | |
| | Gender(Gender) | . | Do Not Use | Total |
| | Female | 1<br>16.67 | 5<br>83.33 | 6 |
| | Male | 10<br>45.45 | 12<br>54.55 | 22 |
| | Total | 11 | 17 | 28 |

| Frequency<br>Row Pct | Table of Gender by Otherdrugtime2 | | | |
|---|---|---|---|---|
| | | Otherdrugtime2(Times Friends Use Other Illegal Drugs) | | |
| | Gender(Gender) | . | On Way to School | Total |
| | Female | 6<br>100.00 | 0<br>0.00 | 6 |
| | Male | 21<br>95.45 | 1<br>4.55 | 22 |
| | Total | 27 | 1 | 28 |

| Frequency<br>Row Pct | Table of Gender by Otherdrugtime3 | | | |
|---|---|---|---|---|
| | | Otherdrugtime3(Times Friends Use Other Illegal Drugs) | | |
| | Gender(Gender) | . | During School | Total |
| | Female | 6<br>100.00 | 0<br>0.00 | 6 |
| | Male | 20<br>90.91 | 2<br>9.09 | 22 |
| | Total | 26 | 2 | 28 |

| Frequency<br>Row Pct | Table of Gender by Otherdrugtime4 | | |
|---|---|---|---|
| | Otherdrugtime4(Times Friends Use Other Illegal Drugs) | | |
| Gender(Gender) | . | On Way Home From School | Total |
| Female | 6<br>100.00 | 0<br>0.00 | 6 |
| Male | 21<br>95.45 | 1<br>4.55 | 22 |
| Total | 27 | 1 | 28 |

| Frequency<br>Row Pct | Table of Gender by Otherdrugtime5 | | |
|---|---|---|---|
| | Otherdrugtime5(Times Friends Use Other Illegal Drugs) | | |
| Gender(Gender) | . | Weeknights | Total |
| Female | 5<br>83.33 | 1<br>16.67 | 6 |
| Male | 17<br>77.27 | 5<br>22.73 | 22 |
| Total | 22 | 6 | 28 |

| Frequency<br>Row Pct | Table of Gender by Otherdrugtime6 | | |
|---|---|---|---|
| | Otherdrugtime6(Times Friends Use Other Illegal Drugs) | | |
| Gender(Gender) | . | Weekends | Total |
| Female | 5<br>83.33 | 1<br>16.67 | 6 |
| Male | 12<br>54.55 | 10<br>45.45 | 22 |
| Total | 17 | 11 | 28 |

| Frequency<br>Row Pct | Table of Gender by Educationalcohol | | |
|---|---|---|---|
| | Educationalcohol(I have been taught about alcohol, tobacco, and other drugs within the last year at school) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 4<br>66.67 | 2<br>33.33 | 6 |
| Male | 14<br>63.64 | 8<br>36.36 | 22 |
| Total | 18 | 10 | 28 |

| Frequency<br>Row Pct | Table of Gender by Rodedrinking | | |
|---|---|---|---|
| | Rodedrinking(In the past 30 days I have ridden in a car with a driver who had been drinking alcohol) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 1<br>16.67 | 5<br>83.33 | 6 |
| Male | 9<br>40.91 | 13<br>59.09 | 22 |
| Total | 10 | 18 | 28 |

| Frequency<br>Row Pct | Table of Gender by Drugsschool | | |
|---|---|---|---|
| | Drugsschool(During the past 12 months, I have been offered, sold, or given illegal drugs on school property) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 2<br>33.33 | 4<br>66.67 | 6 |
| Male | 10<br>45.45 | 12<br>54.55 | 22 |
| Total | 12 | 16 | 28 |

| Frequency<br>Row Pct | Table of Gender by Bingedrinking | | | | | | |
|---|---|---|---|---|---|---|---|
| | | Bingedrinking(I have drunk five or more drinks of alcohol at one sitting during the last 30 days) | | | | | |
| Gender(Gender) | 0 Days | 1 or 2 days | 3 to 5 days | 6 to 9 days | 10 to 19 days | All 30 days | Total |
| Female | 4<br>66.67 | 1<br>16.67 | 0<br>0.00 | 0<br>0.00 | 0<br>0.00 | 1<br>16.67 | 6 |
| Male | 10<br>45.45 | 2<br>9.09 | 2<br>9.09 | 2<br>9.09 | 5<br>22.73 | 1<br>4.55 | 22 |
| Total | 14 | 3 | 2 | 2 | 5 | 2 | 28 |

| Frequency<br>Row Pct | Table of Gender by Educationaids | | |
|---|---|---|---|
| | Educationaids(I have been taught about HIV/AIDS at school in the past year) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 3<br>50.00 | 3<br>50.00 | 6 |
| Male | 14<br>63.64 | 8<br>36.36 | 22 |
| Total | 17 | 11 | 28 |

| Frequency<br>Row Pct | Table of Gender by Suicideconsider | | |
|---|---|---|---|
| | Suicideconsider | | |
| Gender(Gender) | Yes | No | Total |
| Female | 1<br>16.67 | 5<br>83.33 | 6 |
| Male | 1<br>4.55 | 21<br>95.45 | 22 |
| Total | 2 | 26 | 28 |

| Frequency<br>Row Pct | Table of Gender by Suicideattempt | | |
|---|---|---|---|
| | Suicideattempt(I have attempted suicide in the last year) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 2<br>33.33 | 4<br>66.67 | 6 |
| Male | 0<br>0.00 | 22<br>100.00 | 22 |
| Total | 2 | 26 | 28 |

| Frequency<br>Row Pct | Table of Gender by Adulttalk | | |
|---|---|---|---|
| | Adulttalk(I know an adult at school that I can talk with if I need help) | | |
| Gender(Gender) | Yes | No | Total |
| Female | 3<br>50.00 | 3<br>50.00 | 6 |
| Male | 14<br>63.64 | 8<br>36.36 | 22 |
| Total | 17 | 11 | 28 |